



KERALA MEDICAL SERVICES CORPORATION LTD.,
(Dept. of Health & Family Welfare, Govt. of Kerala)
Thycaud P.O., Thiruvananthapuram-14
Tele Fax No : 0471-2945647,
0471-2945600
Email id : edrugs.kmscl@kerala.gov.in
CIN : U24233KL2007SGC021616

Essential Drugs Division
No. KMSCL/ED/40/2023

www.kmscl.kerala.gov.in
Date :11.06.2024

NOTICE

(Drugs/Supplies – Category III-VIII)

Sub :- KMSCL – E-tender for the Procurement of Drugs/ Supplies for the year 2024-25 - Technical Bid Evaluation – List of selected/ rejected bidders/ products for price bid evaluation – Published – reg.

- Ref :-**
1. E-tender No. KMSCL/ED/III-VIII/RC/2023/021 Dated 23.12.2023
 2. Amendment Notices No. KMSCL/ED/40/2023 Dated 06.01.2024
 3. This Office Notice No. KMSCL/ED/40/2023 Dated 17.05.2024

Technical bids submitted in response to the e-tender referred 1st above for the Procurement of Drugs/ Supplies for the year 2024-25 along with the clarifications/ complaints received in respect of the notice 3rd cited were scrutinized. The list of selected/rejected bidders/products based on the scrutiny of the documents/complaints, factory inspection and sample evaluation is published below.

The price bids of all the qualified bidders will be opened and evaluated from 11.00 am on 12.06.2024

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|------------------|-----------|---|----------|-----------|---|
| Bid No. 1 | | M/s. Southern Union Pharmaceuticals Kerala Pvt. Ltd., Kerala | | | |
| 1. | D25012 | BLACK DISINFECTANT FLUID (GRIII RWC 5-7) BIS LOTION | 5 Litre | Can | The offer of all the products is accepted. |
| 2. | D25010 | CHLORHEXIDINE GLUCONATE 2.5% V/V + ETHYL ALCOHOL 70% V/V SOLUTION | 200 ml | Bottle | |
| 3. | D25006 | CHLOROXYLENOL SOLUTION IP | 5% w/v | 5 Lit Can | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|------------------|-----------|---|------------|---------------|--|
| 4. | D25014 | FORMALDEHYDE SOLUTION IP | 37% w/v | 450 ml Bottle | |
| 5. | D25013 | WASHING SODA | 1 Kg | Packet | |
| Bid No. 2 | | M/s. Plasti Surge Industries Pvt .Ltd., Maharashtra. | | | |
| 1. | S27099 | DISPOSABLE SURGEON CAP-FEMALE | 1 Unit | 1 No. | The offer of all the products is accepted. |
| 2. | S27098 | DISPOSABLE SURGEON CAP-MALE | 1 Unit | 1 No. | |
| 3. | S27275 | DIPOSABLE TRIPLE LAYER MASK WITH TYING STRAP IS 16289:2014 | 1 Unit | 1 No. | |
| Bid No. 3 | | M/s. Brisk Surgicals Cotton Ltd., Gujarat | | | |
| 1. | S27007 | ABSORBANT COTTON WOOL IP | 500 gm Net | Packet | The offer of the product is accepted. |
| Bid No. 4 | | M/s. Poly Medicure Ltd., New Delhi | | | |
| 1. | S27009 | BLOOD ADMINISTRATION SET WITH MICROAGREGATE FILTER | MI | 1 No | <p>1. Offer of the firm for S27039 - DISPOSABLE THREE WAY STOPCOCK 1 Unit</p> <p>Is rejected based on the factory inspection conducted on the manufacturing unit (MFG/MD)/2019/000147, dtd 27.08.2019) on 09.12.2022</p> <p>2. The samples submitted for the following items for qualitative evaluation as per clause 6.16 of the tender document is rejected by the technical committee.</p> <p>S27256 - DISPOSABLE CVP CATHETER TRIPLE LUMEN (SELDINGER</p> |
| 2. | S27256 | DISPOSABLE CVP CATHETER TRIPLE LUMEN (SELDINGER TECHNIQUE) | 7F | 1 No | |
| 3. | S27291 | FISTULA NEEDLE | 16 G | 1 No | |
| 4. | S27292 | FISTULA NEEDLE | 17 G | 1 No | |
| 5. | S27038 | I.V. CANNULA | 24 G | 1 No | |
| 6. | S27034 | I.V.CANNULA WITH INJECTION PORT | 16 G | 1 No | |
| 7. | S27035 | I.V. CANNULA WITH INJECTION PORT | 18 G | 1 No | |
| 8. | S27036 | I.V. CANNULA WITH INJECTION PORT | 20 G | 1 No | |
| 9. | S27037 | I.V. CANNULA WITH INJECTION PORT | 22 G | 1 No | |
| 10. | S27246 | I.V. SET WITH 22G NEEDLE (ISO 8536) | 1 Unit | 1 No | |
| 11. | S27041 | SPINAL NEEDLE | SIZE 23 G | 1 No | |
| 12. | S27238 | SPINAL NEEDLE | SIZE 25 G | 1 No | |
| 13. | S27274 | SPINAL NEEDLE | SIZE 27 G | 1 No | |
| 14. | S27039 | DISPOSABLE THREE WAY STOPCOCK | 1 Unit | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|-----------|---------------------------------|-----------|------|--|
| 15. | S27045 | ENDOTRACHEAL TUBE 2.5 | 1 Unit | 1 No | TECHNIQUE) 7F S27238 - SPINAL NEEDLE SIZE 25 G The offer of all other products is accepted. |
| 16. | S27046 | ENDOTRACHEAL TUBE 3.0 | 1 Unit | 1 No | |
| 17. | S27047 | ENDOTRACHEAL TUBE 3.5 | 1 Unit | 1 No | |
| 18. | S27048 | ENDOTRACHEAL TUBE 4.0 | 1 Unit | 1 No | |
| 19. | S27049 | ENDOTRACHEAL TUBE 4.5 | 1 Unit | 1 No | |
| 20. | S27050 | ENDOTRACHEAL TUBE 5.0 | 1 Unit | 1 No | |
| 21. | S27051 | ENDOTRACHEAL TUBE 5.5 | 1 Unit | 1 No | |
| 22. | S27054 | ENDOTRACHEAL TUBE 5.5 WITH CUFF | 1 Unit | 1 No | |
| 23. | S27055 | ENDOTRACHEAL TUBE 6.0 WITH CUFF | 1 Unit | 1 No | |
| 24. | S27056 | ENDOTRACHEAL TUBE 6.5 WITH CUFF | 1 Unit | 1 No | |
| 25. | S27057 | ENDOTRACHEAL TUBE 7.0 WITH CUFF | 1 Unit | 1 No | |
| 26. | S27058 | ENDOTRACHEAL TUBE 7.5 WITH CUFF | 1 Unit | 1 No | |
| 27. | S27059 | ENDOTRACHEAL TUBE 8.0 WITH CUFF | 1 Unit | 1 No | |
| 28. | S27060 | ENDOTRACHEAL TUBE 8.5 WITH CUFF | 1 Unit | 1 No | |
| 29. | S27061 | ENDOTRACHEAL TUBE 9.0 WITH CUFF | 1 Unit | 1 No | |
| 30. | S27069 | INFANT FEEDING TUBE | SIZE 4F | 1 No | |
| 31. | S27070 | INFANT FEEDING TUBE | SIZE 10F | 1 No | |
| 32. | S27071 | INFANT FEEDING TUBE | SIZE 5F | 1 No | |
| 33. | S27072 | INFANT FEEDING TUBE | SIZE 6F | 1 No | |
| 34. | S27073 | INFANT FEEDING TUBE | SIZE 8F | 1 No | |
| 35. | S27221 | NELATON CATHETER | SIZE 12 | 1 No | |
| 36. | S27076 | RYLES TUBE | SIZE 10 F | 1 No | |
| 37. | S27077 | RYLES TUBE | SIZE 12 F | 1 No | |
| 38. | S27079 | RYLES TUBE | SIZE 16 F | 1 No | |
| 39. | S27089 | SUCTION CATHETER | SIZE – 10 | 1 No | |
| 40. | S27090 | SUCTION CATHETER | SIZE – 12 | 1 No | |
| 41. | S27091 | SUCTION CATHETER | SIZE – 14 | 1 No | |
| 42. | S27092 | SUCTION CATHETER | SIZE – 6 | 1 No | |
| 43. | S27093 | SUCTION CATHETER | SIZE – 8 | 1 No | |
| 44. | S27233 | UMBILICAL CORD CLAMP | - | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|------------------|-----------|---|----------|------|---|
| 45 | S27095 | URINE COLLECTION BAG WITH VALVE OUTLET | 2 Litre | 1 No | |
| 46 | S27068 | YANKAUER SUCTION SET (Vacusuck Set) - MOULDED TRANSPARENT HAVING NO JOINTS ON THE SURFACE OF THE TUBING | 2.5 M | 1 No | |
| Bid No. 5 | | M/s. Newtech Medical Devices Pvt. Ltd., Haryana | | | |
| 1. | S27255 | DISPOSABLE CVP CATHETER TRIPLE LUMEN (SELDINGER TECHNIQUE) | 5F | 1 No | <p>1. Notary attested copy of Valid Market Standing Certificate and Sale Invoices of last 3 years to prove three year market standing/ Previous market standing certificate not submitted for the following items;</p> <p>S27291 - FISTULA NEEDLE 16G S27292 - FISTULA NEEDLE 17G S27039 - DISPOSABLE THREE WAY STOPCOCK</p> <p>Hence offer of the products is rejected.</p> <p>2. The samples submitted for the following item for qualitative evaluation as per clause 6.16 of the tender document is rejected by the technical committee.</p> <p>S27255 - DISPOSABLE CVP CATHETER TRIPLE LUMEN (SELDINGER TECHNIQUE) 5F</p> <p>The offer of the other product is accepted.</p> |
| 2. | S27256 | DISPOSABLE CVP CATHETER TRIPLE LUMEN (SELDINGER TECHNIQUE) | 7F | 1 No | |
| 3. | S27291 | FISTULA NEEDLE | 16G | 1 No | |
| 4. | S27292 | FISTULA NEEDLE | 17G | 1 No | |
| 5. | S27039 | DISPOSABLE THREE WAY STOPCOCK | 1 Unit | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|------------------|-----------|---|----------|--------|--|
| Bid No. 6 | | M/s. Bio-Rad Laboratories (India) Pvt Ltd., Haryana | | | |
| 1. | D26024 | FOURTH GENERATION ELISA KIT FOR DETECTION OF P24 ANTIGEN AND ANTIBODY TO HIV 1&2 | 1 Test | 1 No | The offer of all the products is accepted. |
| 2. | D26022 | HEPATITIS B SURFACE ANTIGEN SCREENING-ELISA TEST KIT | 1 Test | 1 No | |
| 3 | D26034 | HEPATITIS C - ELISA KIT FOR DETECTION OF ANTIGEN AND ANTIBODY - FOURTH GENERATION | 1 Test | 1 No | |
| 4. | D26011 | ANTI HUMAN SERUM (LISS COOMBS FOR GEL TECHNOLOGY – GEL CARD & SOLUTION) | Null | Bottle | |
| 5. | D26033 | SYPHILIS - ELISA TEST KIT | 1 Test | 1 No | |
| Bid No. 7 | | M/s. SD Biosensor Healthcare Pvt.Ltd., Haryana | | | |
| 1 | D26014 | DENGUE IGM CAPTURE ELISA (1,2,3,4) KIT | 1 Test | 1 No | 1. The samples submitted for the following items for qualitative evaluation as per clause 6.16 of the tender document is rejected by the technical committee. D26014 - DENGUE IGM CAPTURE ELISA (1,2,3,4) KIT, 1 Test. D26026 - DENGUE LATEX AGGLUTINATION TEST KIT (RAPID METHOD), 1 Test. The offer of all other products is accepted. |
| 2 | D26026 | DENGUE LATEX AGGLUTINATION TEST KIT (RAPID METHOD) | 1 Test | 1 No | |
| 3 | D26016 | HEPATITIS C ANTIBODY SCREENING KIT- EIA VISUAL ASSAY (RAPID METHOD) | 1 Test | 1 No | |
| 4 | D26019 | HIV 1 & 2 ANTIBODY SCREENING EIA VISUAL ASSAY (RAPID METHOD) | 1 Test | 1 No | |
| 5. | D26006 | MALARIA ANTIGEN DETECTING CARD (PV+PF) | 1 Test | 1 No | |
| Bid No. 8 | | M/s. Amkay Products Pvt .Ltd., Maharashtra | | | |
| 1 | S27233 | UMBILICAL CORD CLAMP | - | 1 No | IS Specification not mentioned in the Bid Offer Form in Annexure |
| 2 | S27095 | URINE COLLECTION BAG WITH VALVE OUTLET | 2 Litre | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken | |
|------------------|-----------|---|-------------------|------|--|--|
| 3 | S27099 | DISPOSABLE SURGEONS CAP - FEMALE | 1 Unit | 1 No | <p>II, submitted and Notary attested copy of License issued by Bureau of Indian Standards (BIS) 3 year prior to the date of notification of the tender and its renewals not submitted for S27275 – DISPOSABLE TRIPLE LAYER MASK WITH TYING STRAP IS 16289:2014.</p> <p>Hence offer of the product is rejected.</p> <p>The offer of all other products is accepted.</p> | |
| 4 | S27098 | DISPOSABLE SURGEONS CAP - MALE | 1 Unit | 1 No | | |
| 5. | S27275 | DISPOSABLE TRIPLE LAYER MASK WITH TYING STRAP IS 16289:2014 | 1 Unit | 1 No | | |
| Bid No. 9 | | M/s. Sterimed Medical Devices Pvt Ltd., New Delhi | | | | |
| 1 | S27039 | DISPOSABLE THREE WAY STOPCOCK | 1 Unit | 1 No | | <p>The offer of all the products is accepted.</p> |
| 2 | S27062 | FOLLEYS CATHETER | SIZE 12 F X 10 ml | 1 No | | |
| 3 | S27063 | FOLLEYS CATHETER | SIZE 16 F X 30 ml | 1 No | | |
| 4 | S27064 | FOLLEYS CATHETER | SIZE 18 F X 30 ml | 1 No | | |
| 5 | S27067 | FOLLEYS CATHETER | SIZE 10 F X 10 ml | 1 No | | |
| 6 | S27193 | FOLLEYS CATHETER | SIZE 14 F X 30 ml | 1 No | | |
| 7 | S27069 | INFANT FEEDING TUBE | SIZE 4F | 1 No | | |
| 8 | S27070 | INFANT FEEDING TUBE | SIZE 10F | 1 No | | |
| 9 | S27071 | INFANT FEEDING TUBE | SIZE 5F | 1 No | | |
| 10 | S27072 | INFANT FEEDING TUBE | SIZE 6F | 1 No | | |
| 11 | S27073 | INFANT FEEDING TUBE | SIZE 8F | 1 No | | |
| 12 | S27221 | NELATON CATHETER | SIZE 12 | 1 No | | |
| 13 | S27076 | RYLES TUBE | SIZE 10 F | 1 No | | |
| 14 | S27077 | RYLES TUBE | SIZE 12 F | 1 No | | |
| 15 | S27079 | RYLES TUBE | SIZE 16 F | 1 No | | |
| 16 | S27089 | SUCTION CATHETER | SIZE – 10 | 1 No | | |
| 17 | S27090 | SUCTION CATHETER | SIZE – 12 | 1 No | | |
| 18 | S27091 | SUCTION CATHETER | SIZE – 14 | 1 No | | |
| 19 | S27092 | SUCTION CATHETER | SIZE – 6 | 1 No | | |
| 20 | S27093 | SUCTION CATHETER | SIZE – 8 | 1 No | | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|-------------------|-----------|---|------------------|------|---|
| 21 | S27233 | UMBILICAL CORD CLAMP | - | 1 No | |
| 22 | S27068 | YANKAUER SUCTION SET (Vacusuck Set) - MOULDED TRANSPARENT HAVING NO JOINTS ON THE SURFACE OF THE TUBING | 2.5 M | 1 No | |
| Bid No. 10 | | M/s. Wilson Tapes Pvt Ltd, Gujarat | | | |
| 1 | S27002 | ADHESIVE TAPE USP | 10 cm x 5 mtr | Roll | The offer of all the products is accepted. |
| 2 | S27103 | NON-WOVEN ADHESIVE TAPE | 2.5 cm x 9.1 mtr | Roll | |
| 3 | S27230 | PLASTER OF PARIS BANDAGE B.P. | 10 cm x 2.7 mtr | Roll | |
| 4 | S27001 | PLASTER OF PARIS BANDAGE B.P. | 15 cm x 2.7 mtr | ROLL | |
| Bid No. 11 | | M/s. Sri Anusham Rubber Industries Pvt .Ltd, Tamilnadu | | | |
| 1. | S27196 | GLOVES SURGICAL RUBBER - STERILE (IS 13422) | SIZE 6" | Pair | The offer of all the products is accepted. |
| 2. | S27199 | GLOVES SURGICAL RUBBER - STERILE (IS 13422) | SIZE 7.5" | Pair | |
| Bid No. 12 | | M/s. Iscon Surgicals Limited, Jodhpur | | | |
| 1. | S27025 | DISPOSABLE NEEDLE | 18G x 1" | 1 No | The samples submitted for the following items for qualitative evaluation as per clause 6.16 of the tender document is rejected by the technical committee. S27238 - SPINAL NEEDLE SIZE 25 G S27250 - SICS BLADE (CRESANT)2.5mm/2.6mm angled bevel up S27251 - SICS BLADE (KERATOME) 2.8mm angled bevel up S27252 - SICS BLADE (SIDE PORT) 15° STRAIGHT |
| 2. | S27028 | DISPOSABLE NEEDLE | 22G x 1" | 1 No | |
| 3. | S27029 | DISPOSABLE NEEDLE | 23G x 1" | 1 No | |
| 4. | S27030 | DISPOSABLE NEEDLE | 24G x 1" | 1 No | |
| 5 | S27254 | DISPOSABLE NEEDLE | 26G x ½" | 1 No | |
| 6 | S27239 | DISPOSABLE SYRINGE WITH FIXED NEEDLE 29 G (1ML GRADUATED) | 1 ml | 1 No | |
| 7 | S27031 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 2 Cc | 1 No | |
| 8 | S27032 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 5 Cc | 1 No | |
| 9 | S27033 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 10 Cc | 1 No | |
| 10 | S27218 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 20 Cc | 1 No | |
| 11 | S27082 | SCALP VEIN SET | SIZE- 22 G | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|---|------------------------------------|------|--|
| 12 | S27083 | SCALP VEIN SET | SIZE- 24 G | 1 No | LANCE TIP The offer of all other products is accepted. |
| 13 | S27041 | SPINAL NEEDLE | SIZE 23 G | 1 No | |
| 14 | S27238 | SPINAL NEEDLE | SIZE 25 G | 1 No | |
| 15 | S27250 | SICS BLADE (CRESANT) | 2.5mm/2.6m m angled bevel up | 1 No | |
| 16 | S27251 | SICS BLADE (KERATOME) | 2.8mm angled bevel up | 1 No | |
| 17 | S27252 | SICS BLADE (SIDE PORT) | 15° STRAIGHT LANCE TIP | 1 No | |
| Bid No. 13. | | M/s. Meril Diagnostics Pvt.Ltd, Gujarat | | | |
| 1. | D26024 | FOURTH GENERATION ELISA KIT FOR DETECTION OF P24 ANTIGEN AND ANTIBODY TO HIV 1&2 | 1TEST | 1 No | The samples submitted for the following items for qualitative evaluation as per clause 6.16 of the tender document is rejected by the Technical Committee. D26024 - FOURTH GENERATION ELISA KIT FOR DETECTION OF P24 ANTIGEN AND ANTIBODY TO HIV 1&2, 1TEST D26022 - HEPATITIS B SURFACE ANTIGEN SCREENING-ELISA TEST KIT, 1TEST D26034 - HEPATITIS C - ELISA KIT FOR DETECTION OF ANTIGEN AND ANTIBODY - FOURTH GENERATION, 1TEST D26018 - HIV 1&2 ANTIBODY SCREENING-ELISA TEST KIT, 1TEST D26006 - MALARIA ANTIGEN DETECTING CARD (PV + PF), 1TEST The offer of all other products is accepted. |
| 2. | D26022 | HEPATITIS B SURFACE ANTIGEN SCREENING-ELISA TEST KIT | 1TEST | 1 No | |
| 3. | D26034 | HEPATITIS C - ELISA KIT FOR DETECTION OF ANTIGEN AND ANTIBODY - FOURTH GENERATION | 1TEST | 1 No | |
| 4. | D26018 | HIV 1&2 ANTIBODY SCREENING-ELISA TEST KIT | 1TEST | 1 No | |
| 5. | D26006 | MALARIA ANTIGEN DETECTING CARD (PV + PF) | 1TEST | 1 No | |
| Bid No.14. | | M/s. Healthium Medtech Limited, Karnataka. | | | |
| 1. | S27505 | BLACK SILK 5-0 1/2 CIRCLE, TAPER CUT NEEDLE 17MM, 70-90 CM | 1 Foil | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|---------------|---|----------|------|---|
| 2. | S27508/1 2 | BRAIDED POLYGLYCOLIC ACID SUTURE 3-0, 40- 50CM, 3/8 CIRCLE CUTTING 12MM NEEDLE | 1 Foil | 1 No | The offer of all the products is accepted. |
| 3. | S27509 | BRAIDED POLYGLYCOLIC ACID SUTURE 5-0, 45CM, 3/8 CIRCLE REVERSE CUTTING 12MM NEEDLE | 1 Foil | 1 No | |
| 4. | S27510 | BRAIDED POLYGLYCOLIC ACID SUTURE 6-0, 45CM, 3/8 CIRCLE REVERSE CUTTING 12MM NEEDLE | 1 Foil | 1 No | |
| 5. | S27517 | CATGUT NO.1/0 RB 34-40 MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 6. | S27575 | MONOFILAMENT BLACK POLYAMIDE 8-0, 3/8 CIRCLE REVERSE CUTTING MICRO POINT SPATULATED 8MM, 30-40CM | 1 Foil | 1 No | |
| 7. | S27576 | MONOFILAMENT BLUE POLYPROPYLENE 6-0, 3/8 CIRCLE TAPER CUT, DOUBLE ARMED, 13MM, 70-90CM | 1 Foil | 1 No | |
| 8. | S27520/1 2 | MONOFILAMENT POLYAMIDE 2-0, 30- 36MM, 3/8 CIRCLE CUTTING NEEDLE, 70-90CM | 1 Foil | 1 No | |
| 9. | S27523/1 2 | MONOFILAMENT POLYAMIDE 3-0, 30- 36MM, 3/8 CIRCLE CUTTING NEEDLE, 70-90CM | 1 Foil | 1 No | |
| 10. | S27525 | MONOFILAMENT POLYPROPYLENE BLUE 1, 70-90CM ½ CRB (HEAVY) 40MM | 1 Foil | 1 No | |
| 11. | S27526 | MONOFILAMENT POLYPROPYLENE BLUE 1-0, 70-90CM 1/2 CRB 30MM | 1 Foil | 1 No | |
| 12. | S27529 | POLIGLECAPRONE 25, UNDYED, SIZE 3/0 WITH 3/8 CIRCLE CUTTING / REVERSE CUTTING NEEDLE 24- 28MM, 70-90 CM | 1 Foil | 1 No | |
| 13. | S27531 | POLIGLECAPRONE 25, UNDYED, SIZE 5/0 WITH 3/8 CIRCLE CUTTING / REVERSE CUTTING NEEDLE 12-15 MM, 70-90 CM | 1 Foil | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|---------------|---|---------------------|------|----------------|
| 14. | S27533 | POLYDIOXANONE OF SIZE 1 WITH ½ CIRCLE RB, 45- 50MM HEAVY NEEDLE SUTURE LENGTH 1.5 M, FOR SHEATH CLOSURE | 1 Foil | 1 No | |
| 15. | S27535 | POLYGLACTIN 910 4- 0, ROUND BODY NEEDLE 3/8 CIRCLE, 20MM, 70-90 CM | 1 Foil | 1 No | |
| 16. | S27536 | POLYGLACTIN 910 OF SIZE 1, 1/2 CIRCLE ROUND BODY NEEDLE, 35-40 MM, 70-90 CM | 1 Foil | 1 No | |
| 17. | S27537 | POLYGLACTIN 910 OF SIZE 1-0, 1/2 CIRCLE ROUND BODY 30-36MM, 70-90 CM | 1 Foil | 1 No | |
| 18. | S27538 | POLYGLACTIN 910, SIZE 2-0, 1/2 CRB, 30MM NEEDLE, 70-90CM | 1 Foil | 1 No | |
| 19. | S27539 | POLYGLACTIN 910, SIZE 3-0, 1/2 CRB, 26-30MM NEEDLE, 70-90CM | 1 Foil | 1 No | |
| 20. | S27578 | POLYGLYCOLIC ACID SIZE 6/0, 3/8 REVERSE CUTTING 8MM DOUBLE NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 21. | S27549 | POLYPROPYLENE 2-0, 1/2 CRB 26-30MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 22. | S27550 | POLYPROPYLENE 3-0, 1/2 CRB 24- 26MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 23. | S27553 | POLYPROPYLENE 5-0, 3/8 ROUND BODY 12MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 24. | S27557 | POLYPROPYLENE MESH 0.02 THICKNESS WITH 1.9KG BURST STRENGTH PER SQUARE CM HERNIA REPAIR | 15x15 Cm | 1 No | |
| 25. | S27580 | POLYPROPYLENE MESH 0.02 THICKNESS WITH 1.9KG BURST STRENGTH PER SQUARE CM HERNIA REPAIR | (7.5 ± 0.5) x 15 cm | 1 No | |
| 26. | S27561/1 2 | SURGICAL SILK 2-0, 1/2 CIRCLE CUTTING NEEDLE 30MM, 70-90CM | 1 Foil | 1 No | |
| 27. | S27564 | SURGICAL SILK 4-0, 1/2 CIRCLE TAPERCUT NEEDLE 17MM, 70-90 CM | 1 Foil | 1 No | |
| 28. | S27565 | SUTURE PACK SILK NO. 1, 2X70-90 CM | 1 Foil | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|---|----------|-------------|--|
| 29. | S27568 | SUTURE PACK SILK NO. 2-0, 2X70-90 CM | 1 Foil | 1 No | |
| Bid No. 15. | | M/s. Maruti Meditech Pvt Ltd, Patna | | | |
| 1. | S27029 | DISPOSABLE NEEDLE | 23G x 1" | 1 No | <p>1. Average Annual turnover of Rs. 20 Crores as per Clause no: 5.2.3 of the tender document is not complied with.</p> <p>2. Notary attested copy of previous Market Standing certificate (2021) not submitted for the following items; S27029 - DISPOSABLE NEEDLE, 23G x 1" S27030 - DISPOSABLE NEEDLE, 24G x 1" S27254 - DISPOSABLE NEEDLE, 26G x ½"</p> <p>3. Notary attested details of 3 batches not furnished in the Performance statement in Anx IV submitted for the following; S27029 -DISPOSABLE NEEDLE, 23G x 1" S27030 -DISPOSABLE NEEDLE, 24G x 1" S27254 -DISPOSABLE NEEDLE, 26G x ½".</p> <p>Hence the offer of the firm is rejected.</p> |
| 2. | S27030 | DISPOSABLE NEEDLE | 24G x 1" | 1 No | |
| 3. | S27254 | DISPOSABLE NEEDLE | 26G x ½" | 1 No | |
| 4. | S27031 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 2cc | 1 No | |
| 5. | S27032 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 5cc | 1 No | |
| 6. | S27033 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 10cc | 1 No | |
| 7. | S27218 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 20 Cc | 1 No | |
| Bid No.16. | | M/s. Nanz Med Science Pharma Pvt .Ltd., New Delhi | | | |
| 1. | D25010 | CHLORHEXIDINE GLUCONATE 2.5% V/V + ETHYL ALCOHOL 70% V/V SOLUTION | 200 ml | Bottle | The offer of all the products is accepted. |
| 2. | D25007 | GLUTERALDEHYDE SOLUTION (WITHOUT SURFACTANT) | 2% | 5 Litre Can | |
| 3. | D25008 | ORTHO-PHTHALALDEHYDE SOLUTION | 0.55% | 5 Ltr Can | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|---|----------|------|---|
| Bid No. 17. | | M/s. Asma Rubber Products Pvt Ltd., Kochi | | | |
| 1. | S27197 | GLOVES SURGICAL RUBBER-STERILE (IS 13422) | SIZE 6.5 | Pair | The offer of all the products is accepted. |
| 2. | S27198 | GLOVES SURGICAL RUBBER-STERILE (IS 13422) | SIZE 7 | Pair | |
| Bid No. 18. | | M/s. Meril Endo Surgery Pvt Ltd., Mumbai | | | |
| 1. | S27517 | CATGUT NO.1/0 RB 34-40 MM NEEDLE, 70-90 CM | 1 Foil | 1 No | The offer of all the products is accepted. |
| 2. | S27525 | MONOFILAMENT POLYPROPYLENE BLUE 1, 70-90CM 1/2 CRB (HEAVY) 40MM | 1 Foil | 1 No | |
| 3. | S27526 | MONOFILAMENT POLYPROPYLENE BLUE 1-0, 70-90CM 1/2 CRB 30MM | 1 Foil | 1 No | |
| 4. | S27529 | POLIGLECAPRONE 25, UNDYED, SIZE 3/0 WITH 3/8 CIRCLE CUTTING / REVERSE CUTTING NEEDLE 24-28MM, 70-90 CM | 1 Foil | 1 No | |
| 5. | S27533 | POLYDIOXANONE OF SIZE 1 WITH 1/2 CIRCLE RB, 45- 50MM HEAVY NEEDLE SUTURE LENGTH 1.5 M, FOR SHEATH CLOSURE | 1 Foil | 1 No | |
| 6. | S27535 | POLYGLACTIN 910 4-0, ROUND BODY NEEDLE 3/8 CIRCLE, 20MM, 70-90 CM | 1 Foil | 1 No | |
| 7. | S27536 | POLYGLACTIN 910 OF SIZE 1, 1/2 CIRCLE ROUND BODY NEEDLE, 35-40 MM, 70-90 CM | 1 Foil | 1 No | |
| 8. | S27537 | POLYGLACTIN 910 OF SIZE 1-0, 1/2 CIRCLE ROUND BODY 30-36MM, 70-90 CM | 1 Foil | 1 No | |
| 9. | S27538 | POLYGLACTIN 910, SIZE 2- 0, 1/2 CRB, 30MM NEEDLE, 70-90 | 1 Foil | 1 No | |
| 10. | S27549 | POLYPROPYLENE 2-0, 1/2 CRB 26-30MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 11. | S27550 | POLYPROPYLENE 3-0, 1/2 CRB 24- 26MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 12. | S27557 | POLYPROPYLENE MESH 0.02 THICKNESS WITH 1.9KG BURST STRENGTH PER SQUARE CM HERNIA REPAIR | 15x15 Cm | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|---|------------------------|-------------|---|
| 13. | S27580 | POLYPROPYLENE MESH 0.02 THICKNESS WITH 1.9KG BURST STRENGTH PER SQUARE CM HERNIA REPAIR | (7.5 ± 0.5) x 15 cm | 1 No | |
| 14. | S27564 | SURGICAL SILK 4-0, 1/2 CIRCLE TAPERCUT NEEDLE 17MM, 70-90 CM | 1 Foil | 1 No | |
| 15. | S27565 | SUTURE PACK SILK NO. 1, 2X70-90 CM | 1 Foil | 1 No | |
| 16. | S27568 | SUTURE PACK SILK NO. 2-0, 2X70-90 CM | 1 Foil | 1 No | |
| Bid No. 19. | | M/s. Raman and Weil Pvt. Ltd., Mumbai | | | |
| 1. | D25010 | CHLORHEXIDINE GLUCONATE 2.5% V/V + ETHYL ALCOHOL 70% V/V SOLUTION | 200 ml | Bottle | Tendered strength not mentioned in the Product permit and Market standing certificate submitted for D25010 - CHLORHEXIDINE GLUCONATE 2.5% V/V + ETHYL ALCOHOL 70% V/V SOLUTION, 200 ml, Bottle Hence the offer of the products is rejected. The offer of other product is accepted. |
| 2. | D25007 | GLUTERALDEHYDE SOLUTION (WITHOUT SURFACTANT) | 2% | 5 Litre Can | |
| Bid No. 20. | | M/s. Bio Med Healthcare Products Pvt. Ltd., Delhi | | | |
| 1. | S27029 | DISPOSABLE NEEDLE | 23G x 1" | 1 No | The offer of the items from the License No. MFG/MD/2019/000134 is rejected. The offer of all the products is accepted from the Licence No. MFG/MD/2020/000207 |
| 2. | S27030 | DISPOSABLE NEEDLE | 24G x 1" | 1 No | |
| 3. | S27239 | DISPOSABLE SYRINGE WITH FIXED NEEDLE 29 G (1ML GRADUATED) | 1 ml | 1 No | |
| 4. | S27031 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 2 Cc | 1 No | |
| 5. | S27038 | I.V. CANNULA | 24 G | 1 No | |
| 6. | S27035 | I.V. CANNULA WITH INJECTION PORT | 18 G | 1 No | |
| 7. | S27036 | I.V. CANNULA WITH INJECTION PORT | 20 G | 1 No | |
| 8. | S27037 | I.V. CANNULA WITH INJECTION PORT | 22 G | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|--|----------|------|--|
| Bid No. 21. | | M/s. TI Medical Private Limited (Formerly known as Lotus Surgicals Pvt Ltd), Mumbai | | | |
| 1. | S27505 | BLACK SILK 5-0 1/2 CIRCLE, TAPER CUT NEEDLE 17MM , 70- 90 CM | 1 Foil | 1 No | Notary attested copy of Performance statement in Anx IV not submitted for the following; S27510 - BRAIDED POLYGLYCOLIC ACID SUTURE 6-0, 45CM, 3/8 CIRCLE REVERSE CUTTING 12MM NEEDLE S27505 - BLACK SILK 5-0 1/2 CIRCLE, TAPER CUT NEEDLE 17MM, 70- 90 CM S27508/12 - BRAIDED POLYGLYCOLIC ACID SUTURE 3-0, 40- 50CM, 3/8 CIRCLE CUTTING 12MM NEEDLE S27577 - MONOFILAMENT POLYAMIDE 10-0, 1/2 CIRCLE MICROPOINT SPATULATED DOUBLE NEEDLE 6MM-30-40 CM S27535 - POLYGLACTIN 910 4-0,ROUND BODY NEEDLE 3/8 CIRCLE , 20MM, 70-90 CM S27537 - POLYGLACTIN 910 OF SIZE 1-0, 1/2 CIRCLE ROUND BODY 30-36MM,70-90 CM S27539 - POLYGLACTIN 910, SIZE 3- 0,1/2 CRB,26-30MM NEEDLE,70-90CM S27553 - POLYPROPYLENE 5-0, 3/8 ROUND BODY 12MM NEEDLE, 70-90 CM S27561/12 - SURGICAL SILK 2-0, 1/2 CIRCLE CUTTING NEEDLE 30MM, 70-90 CM Hence the offer of the |
| 2. | S27508/12 | BRAIDED POLYGLYCOLIC ACID SUTURE 3-0, 40- 50CM, 3/8 CIRCLE CUTTING 12MM NEEDLE | 1 Foil | 1 No | |
| 3. | S27509 | BRAIDED POLYGLYCOLIC ACID SUTURE 5-0, 45CM, 3/8 CIRCLE REVERSE CUTTING 12MM NEEDLE | 1 Foil | 1 No | |
| 4. | S27510 | BRAIDED POLYGLYCOLIC ACID SUTURE 6-0, 45CM, 3/8 CIRCLE REVERSE CUTTING 12MM NEEDLE | 1 Foil | 1 No | |
| 5. | S27517 | CATGUT NO.1/0 RB 34-40 MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 6. | S27575 | MONOFILAMENT BLACK POLYAMIDE 8-0, 3/8 CIRCLE REVERSE CUTTING MICRO POINT SPATULATED 8MM, 30-40CM | 1 Foil | 1 No | |
| 7. | S27576 | MONOFILAMENT BLUE POLYPROPYLENE 6-0, 3/8 CIRCLE TAPER CUT, DOUBLE ARMED, 13MM, 70-90 CM | 1 Foil | 1 No | |
| 8. | S27577 | MONOFILAMENT POLYAMIDE 10-0, 1/2 CIRCLE MICROPOINT SPATULATED DOUBLE NEEDLE 6MM-30-40 CM | 1 Foil | 1 No | |
| 9. | S27520/12 | MONOFILAMENT POLYAMIDE 2-0, 30-36MM, 3/8 CIRCLE CUTTING NEEDLE, 70-90CM | 1 Foil | 1 No | |
| 10. | S27523/12 | MONOFILAMENT POLYAMIDE 3-0, 30-36MM, 3/8 CIRCLE CUTTING NEEDLE, 70-90CM | 1 Foil | 1 No | |
| 11. | S27525 | MONOFILAMENT POLYPROPYLENE BLUE 1, 70-90CM 1/2 CRB (HEAVY) 40MM | 1 Foil | 1 No | |
| 12. | S27526 | MONOFILAMENT POLYPROPYLENE BLUE 1-0, 70-90CM 1/2 CRB 30MM | 1 Foil | 1 No | |
| 13. | S27529 | POLIGLECAPRONE 25,UNDYED, | 1 Foil | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|---------------|---|---------------------|------|---|
| | | SIZE 3/0 WITH 3/8 CIRCLE CUTTING / REVERSE CUTTING NEEDLE 24-28MM, 70-90 CM | | | products is rejected. The offer of all other products is accepted. |
| 14 | S27531 | POLIGLECAPRONE 25,UNDYED, SIZE 5/0 WITH 3/8 CIRCLE CUTTING / REVERSE CUTTING NEEDLE 12-15 MM, 70-90 CM | 1 Foil | 1 No | |
| 15 | S27533 | POLYDIOXANONE OF SIZE 1 WITH ½ CIRCLE RB, 45- 50MM HEAVY NEEDLE SUTURE LENGTH 1.5 M, FOR SHEATH CLOSURE | 1 Foil | 1 No | |
| 16 | S27535 | POLYGLACTIN 910 4-0,ROUND BODY NEEDLE 3/8 CIRCLE , 20MM, 70-90 CM | 1 Foil | 1 No | |
| 17 | S27536 | POLYGLACTIN 910 OF SIZE 1, 1/2 CIRCLE ROUND BODY NEEDLE, 35-40 MM ,70-90 CM | 1 Foil | 1 No | |
| 18 | S27537 | POLYGLACTIN 910 OF SIZE 1-0, 1/2 CIRCLE ROUND BODY 30- 36MM,70-90 CM | 1 Foil | 1 No | |
| 19 | S27538 | POLYGLACTIN 910, SIZE 2-0, 1/2 CRB, 30MM NEEDLE,70-90CM | 1 Foil | 1 No | |
| 20 | S27539 | POLYGLACTIN 910, SIZE 3- 0,1/2 CRB,26-30MM NEEDLE,70-90CM | 1 Foil | 1 No | |
| 21 | S27578 | POLYGLYCOLIC ACID SIZE 6/0, 3/8 REVERSE CUTTING 8MM DOUBLE NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 22 | S27549 | POLYPROPYLENE 2-0, 1/2 CRB 26-30MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 23 | S27550 | POLYPROPYLENE 3-0, 1/2 CRB 24- 26MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 24 | S27553 | POLYPROPYLENE 5-0, 3/8 ROUND BODY 12MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 25 | S27557 | POLYPROPYLENE MESH 0.02 THICKNESS WITH 1.9KG BURST STRENGTH PER SQUARE CM HERNIA REPAIR | 15x15 Cm | 1 No | |
| 26 | S27580 | POLYPROPYLENE MESH 0.02 THICKNESS WITH 1.9KG BURST STRENGTH PER SQUARE CM HERNIA REPAIR | (7.5 ± 0.5) x 15 cm | 1 No | |
| 27 | S27561/1 2 | SURGICAL SILK 2-0, 1/2 CIRCLE CUTTING NEEDLE 30MM, 70-90 CM | 1 Foil | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|------------------|---------------|---|---------------|---------------|---|
| 28 | S27564 | SURGICAL SILK 4-0, 1/2 CIRCLE TAPERCUT NEEDLE 17MM, 70-90 CM | 1 Foil | 1 No | |
| 29 | S27565 | SUTURE PACK SILK NO. 1, 2X70-90 CM | 1 Foil | 1 No | |
| 30 | S27568 | SUTURE PACK SILK NO. 2-0, 2X70-90 CM | 1 Foil | 1 No | |
| Bid No.22 | | M/s. Adeshwar Meditex Limited., Mumbai | | | |
| 1. | S27014 | BP BLADE | SIZE -10 | 1 No | 1. Notary attested copy of MD License No. MFG/MD/2022/000196 with Product permit not submitted for the following; S27014 -BP BLADE, SIZE 10 S27015 -BP BLADE, SIZE -11 S27016 -BP BLADE, SIZE -15 S27017 -BP BLADE, SIZE -20 S27019 -BP BLADE, SIZE -22 S27076 -RYLES TUBE, SIZE -10F S27077 -RYLES TUBE, SIZE -12F S27079 -RYLES TUBE, SIZE -16F D25012 -BLACK DISINFECTANT FLUID (GR III RWC 5 -7) BIS LOTION, 5 Litre D25010 -CHLORHEXIDINE GLUCONATE 2.5% V/V + ETHYL ALCOHOL 70% V/V SOLUTION, 200 ml D25014 -FORMALDEHYDE SOLUTION IP, 37% w/v |
| 2 | S27015 | BP BLADE | SIZE -11 | 1 No | |
| 3 | S27016 | BP BLADE | SIZE -15 | 1 No | |
| 4 | S27017 | BP BLADE | SIZE -20 | 1 No | |
| 5 | S27019 | BP BLADE | SIZE -22 | 1 No | |
| 6 | S27076 | RYLES TUBE | SIZE -10F | 1 No | |
| 7 | S27077 | RYLES TUBE | SIZE -12F | 1 No | |
| 8 | S27079 | RYLES TUBE | SIZE -16F | 1 No | |
| 9 | S27233 | UMBILICAL CORD CLAMP | - | 1 No | |
| 10 | S27231/1 2 | ABSORBANT COTTON GAUZE SCH.F(II) | 100 Cm X 20 M | Packet | |
| 11 | S27007 | ABSORBANT COTTON WOOL IP | 500 gm Net | Packet | |
| 12 | S27099 | DISPOSABLE SURGEONS CAP - FEMALE | 1 Unit | 1 No | |
| 13 | S27098 | DISPOSABLE SURGEONS CAP - MALE | 1 Unit | 1 No | |
| 14 | S27275 | DISPOSABLE TRIPLE LAYER MASK WITH TYING STRAP IS 16289:2014 | 1 Unit | 1 No | |
| 15 | D25012 | BLACK DISINFECTANT FLUID (GR III RWC 5 -7) BIS LOTION | 5 Litre | Can | |
| 16 | D25010 | CHLORHEXIDINE GLUCONATE 2.5% V/V + ETHYL ALCOHOL 70% V/V SOLUTION | 200 ml | Bottle | |
| 17 | D25014 | FORMALDEHYDE SOLUTION IP | 37% w/v | 450 ml bottle | |
| 18 | D25007 | GULUTERALDEHYDE SOLUTION (WITHOUT SURFACTANT) | 2% | 5 Litre Can | |
| 19 | D25008 | ORTHO- PHTHALALDEHYDE SOLUTION | 0.55% | 5 Ltr Can | |
| 20 | D25013 | WASHING SODA | 1 Kg | Packet | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|-----------|-----------|----------|------|--|
| | | | | | <p>D25007 - GULUTERALDEHYDE SOLUTION (WITHOUT SURFACTANT), 2%</p> <p>D25008-ORTHO-PHTHALALDEHYDE SOLUTION, 0.55%</p> <p>D25013-WASHING SODA, 1 Kg</p> <p>Hence the offer of the products from the MD License No. MFG/MD/2022/000196 is rejected.</p> <p>2 Notary attested copy of MD License No. MFG/MD/2022/000504 with Product permit not submitted for the following;</p> <p>D25012 -BLACK DISINFECTANT FLUID (GRIII RWC 5 -7) BIS LOTION, 5 Litre</p> <p>D25010 - CHLORHEXIDINE GLUCONATE 2.5% V/V + ETHYL ALCOHOL 70% V/V SOLUTION, 200 ml</p> <p>D25014 - FORMALDEHYDE SOLUTION IP, 37% w/v</p> <p>D25007 - GULUTERALDEHYDE SOLUTION (WITHOUT SURFACTANT), 2%</p> <p>D25008 - ORTHO-PHTHALALDEHYDE SOLUTION, 0.55%</p> <p>D25013 - WASHING SODA, 1 Kg</p> <p>Hence the offer of the products from the MD</p> |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|-----------|-----------|----------|------|--|
| | | | | | <p>License No. MFG/MD/2022/000504 is rejected.</p> <p>3 Notary attested copy of Product permit for the following items from License No. KD-334 & KD-264 not submitted,</p> <p>S27014 BP BLADE, SIZE -10</p> <p>S27015 BP BLADE, SIZE -11</p> <p>S27016 BP BLADE, SIZE -15</p> <p>S27017 BP BLADE, SIZE -20</p> <p>S27019 BP BLADE, SIZE -22</p> <p>S27076 RYLES TUBE, SIZE -10F</p> <p>S27077 RYLES TUBE, SIZE -12F</p> <p>S27079 RYLES TUBE, SIZE -16F</p> <p>S27233 UMBILICAL CORD CLAMP</p> <p>S27231/12 - ABSORBANT COTTON GAUZE SCH.F(II), 100 Cm X 20 M</p> <p>S27007 ABSORBANT COTTON WOOL IP, 500 gm Net</p> <p>S27099 DISPOSABLE SURGEONS CAP – FEMALE</p> <p>S27098 DISPOSABLE SURGEONS CAP – MALE</p> <p>S27275 DISPOSABLE TRIPLE LAYER MASK WITH TYING STRAP IS 16289:2014</p> <p>D25014 FORMALDEHYDE SOLUTION IP, 37% w/v</p> |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|-----------|-----------|----------|------|--|
| | | | | | <p>D25007- GULUTERALDEHYDE SOLUTION (WITHOUT SURFACTANT), 2%</p> <p>D25008 ORTHO- PHTHALALDEHYDE SOLUTION, 0.55%</p> <p>D25013 WASHING SODA, 1 Kg</p> <p>Hence the offer of the products from the License No. KD-334 & KD-264 is rejected</p> <p>4 Notary attested copy of Valid Market standing certificate/ Previous Market standing certificate to prove 3 year Market standing and Non conviction certificate from the License No. MFG/MD/2022/000196, MFG/MD/2022/000504 and KD-334 & KD-264 not submitted for the quoted items.</p> <p>5 Notary attested copy of Valid renewal License for the use of Standard mark (IS) and License issued by Bureau of Indian Standards (BIS) 3 year prior to the date of notification of the tender and its renewals not submitted for S27275 DISPOSABLE TRIPLE LAYER MASK WITH TYING STRAP IS 16289:2014</p> <p>6 Offer of the firm for the following items is</p> |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|-------------------|-----------|--|----------|------|--|
| | | | | | <p>rejected based on the factory inspection conducted on the manufacturing unit MFG/MD/2022/000196 & MFG/MD/2022/000504 on 07.12.2022</p> <p>S27014 - BP BLADE, SIZE - 10 S27015 - BP BLADE, SIZE - 11 S27016 - BP BLADE, SIZE - 15 S27017 - BP BLADE, SIZE - 20 S27019 - BP BLADE, SIZE - 22</p> <p>S27233 - UMBILICAL CORD CLAMP</p> <p>S27007 – ABSORBANT COTTON WOOL IP, 500 gm Net</p> <p>Hence the offer of the firm is rejected</p> |
| Bid No. 23 | | M/s. Mediplus India Limited, New Delhi | | | |
| 1. | S27038 | I.V. CANNULA | 24G | 1 No | <p>Offer of the firm for the following item is rejected based on the factory inspection conducted on the manufacturing unit 646-B(H01.06.2007,MFG/MD/2018/000068,DTD16.08.2018)on 25.08.2023</p> |
| 2. | S27034 | I.V. CANNULA WITH INJECTION PORT | 16G | 1 No | |
| 3. | S27035 | I.V. CANNULA WITH INJECTION PORT | 18G | 1 No | |
| 4. | S27036 | I.V. CANNULA WITH INJECTION PORT | 20G | 1 No | |
| 5. | S27037 | I.V. CANNULA WITH INJECTION PORT | 22G | 1 No | |
| 6. | S27039 | DISPOSABLE THREE WAY STOPCOCK | 1 Unit | 1 No | <p>S27039 DISPOSABLE THREE WAY STOPCOCK</p> <p>The offer of all other products is accepted.</p> |
| Bid No. 24 | | M/s. Mitra Industries Pvt Ltd, New Delhi | | | |
| 1. | S27276 | BLOOD COLLECTION SINGLE BAG with CPDA1 (49ml), 350ml bag with Diversion Pouch 20ml | 350ml | 1 No | The samples submitted for the quoted items for |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|-------------------|-----------|---|--|------|--|
| | | and Needle Protector (ISO 3826) | | | qualitative evaluation as per clause 6.16 of the tender document is rejected by the technical committee. |
| 2. | S27277 | BLOOD COLLECTION TRIPPLE BAG WITH SAGM , Diversion Pouch 20ml with needle protector. (ISO 3826) | Sterile collapsible non-vented bags made up of DEHP plasticized PVC. Diversion Pouch 20ml. Primary bag - 350ml, with CPD (49ml). First Satelite bag - 300ml, Second Satelite bag - 300ml for platelet storage for 5 days. Slits on both sides of the bags. Flexible nonkinking transparent tubings. Needle - 16G straight sharp regular margins ultrathin walled and beveled tips with needle protector. | 1 No | Hence offer of the firm is rejected. |
| Bid No. 25 | | M/s. Auro Lab, Madurai | | | |
| 1. | S27250 | SICS BLADE (CRESANT) | 2.5mm/2.6m m angled level up | 1 No | The offer of all the products is accepted. |
| 2. | S27251 | SICS BLADE (KERATOME) | 2.8mm angled level up | 1 No | |
| 3. | S27252 | SICS BLADE (SIDE PORT) | 15° STRAIGHT LANCE TIP | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|-------------------|---------------|--|----------|------|---|
| 4. | S27575 | MONOFILAMENT BLACK POLYAMIDE 8-0, 3/8 CIRCLE REVERSE CUTTING MICRO POINT SPATULATED 8MM, 30-40CM | 1 Foil | 1 No | |
| 5. | S27577 | MONOFILAMENT POLYAMIDE 10-0, 1/2 CIRCLE MICROPOINT SPATULATED DOUBLE NEEDLE 6MM-30-40 CM | 1 Foil | 1 No | |
| Bid No. 26 | | M/s. Futura Surgicare Pvt Ltd, Bengaluru | | | |
| 1. | S27505 | BLACK SILK 5-0 1/2 CIRCLE, TAPER CUT NEEDLE 17MM , 70-90 CM | 1 Foil | 1 No | The offer of all the products is accepted. |
| 2. | S27508/1 2 | BRAIDED POLYGLYCOLIC ACID SUTURE 3-0, 40- 50CM, 3/8 CIRCLE CUTTING 12MM NEEDLE | 1 Foil | 1 No | |
| 3. | S27509 | BRAIDED POLYGLYCOLIC ACID SUTURE 5-0, 45CM, 3/8 CIRCLE REVERSE CUTTING 12MM NEEDLE | 1 Foil | 1 No | |
| 4. | S27510 | BRAIDED POLYGLYCOLIC ACID SUTURE 6-0, 45CM, 3/8 CIRCLE REVERSE CUTTING 12MM NEEDLE | 1 Foil | 1 No | |
| 5. | S27517 | CATGUT NO.1/0 RB 34-40 MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 6 | S27520/1 2 | MONOFILAMENT POLYAMIDE 2-0,30-36MM, 3/8 CIRCLE CUTTING NEEDLE, 70-90CM | 1 Foil | 1 No | |
| 7 | S27523/1 2 | MONOFILAMENT POLYAMIDE 3-0,30- 36MM,3/8 CIRCLE CUTTING NEEDLE,70- 90CM | 1 Foil | 1 No | |
| 8 | S27525 | MONOFILAMENT POLYPROPYLENE BLUE 1, 70-90CM 1/2 CRB (HEAVY) 40MM | 1 Foil | 1 No | |
| 9 | S27526 | MONOFILAMENT POLYPROPYLENE BLUE 1- 0, 70-90CM 1/2 CRB 30MM | 1 Foil | 1 No | |
| 10 | S27529 | POLIGLECAPRONE 25, UNDYED, SIZE 3/0 WITH 3/8 CIRCLE CUTTING / REVERSE CUTTING NEEDLE 24-28MM,70-90CM | 1 Foil | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|---------------|--|---------------------|------|----------------|
| 11 | S27533 | POLYDIOXANONE OF SIZE 1 WITH ½ CIRCLE RB, 45-50MM HEAVY NEEDLE SUTURE LENGTH 1.5 M, FOR SHEATH CLOSURE | 1 Foil | 1 No | |
| 12 | S27535 | POLYGLACTIN 910 4- 0, ROUND BODY NEEDLE 3/8 CIRCLE , 20MM, 70-90 CM | 1 Foil | 1 No | |
| 13 | S27536 | POLYGLACTIN 910 OF SIZE 1, 1/2 CIRCLE ROUND BODY NEEDLE, 35-40 MM, 70-90 CM | 1 Foil | 1 No | |
| 14 | S27537 | POLYGLACTIN 910 OF SIZE 1- 0, 1/2 CIRCLE ROUND BODY 30-36MM, 70-90 CM | 1 Foil | 1 No | |
| 15 | S27538 | POLYGLACTIN 910, SIZE 2- 0, 1/2 CRB, 30MM NEEDLE , 70-90CM | 1 Foil | 1 No | |
| 16 | S27539 | POLYGLACTIN 910, SIZE 3- 0, 1/2 CRB, 26-30MM NEEDLE , 70-90CM | 1 Foil | 1 No | |
| 17 | S27549 | POLYPROPYLENE 2-0, 1/2 CRB 26-30MM NEEDLE , 70- 90 CM | 1 Foil | 1 No | |
| 18 | S27550 | POLYPROPYLENE 3-0, 1/2 CRB 24- 26MM NEEDLE, 70-90 CM | 1 Foil | 1 No | |
| 19 | S27553 | POLYPROPYLENE 5-0, 3/8 ROUND BODY 12MM NEEDLE , 70-90 CM | 1 Foil | 1 No | |
| 20 | S27557 | POLYPROPYLENE MESH 0.02 THICKNESS WITH 1.9KG BURST STRENGTH PER SQUARE CM HERNIA REPAIR | 15x15 Cm | 1 No | |
| 21 | S27580 | POLYPROPYLENE MESH 0.02 THICKNESS WITH 1.9KG BURST STRENGTH PER SQUARE CM HERNIA REPAIR | (7.5 ± 0.5) x 15 cm | 1 No | |
| 22 | S27561/1 2 | SURGICAL SILK 2-0, 1/2 CIRCLE CUTTING NEEDLE 30MM, 70-90 CM | 1 Foil | 1 No | |
| 23 | S27564 | SURGICAL SILK 4-0, 1/2 CIRCLE TAPERCUT NEEDLE 17MM, 70-90 CM | 1 Foil | 1 No | |
| 24 | S27565 | SUTURE PACK SILK NO. 1, 2X70-90 CM | 1 Foil | 1 No | |
| 25 | S27568 | SUTURE PACK SILK NO. 2- 0, 2X70-90 CM | 1 Foil | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|-------------------|-----------|---|------------------|--------|---|
| Bid No. 27 | | M/s. Sterimed Surgicals India Pvt Ltd., Haryana | | | |
| 1. | S27045 | ENDOTRACHEAL TUBE 2.5 | 1 Unit | 1 No | The offer of all the products is accepted. |
| 2. | S27046 | ENDOTRACHEAL TUBE 3.0 | 1 Unit | 1 No | |
| 3. | S27047 | ENDOTRACHEAL TUBE 3.5 | 1 Unit | 1 No | |
| 4. | S27048 | ENDOTRACHEAL TUBE 4.0 | 1 Unit | 1 No | |
| 5. | S27049 | ENDOTRACHEAL TUBE 4.5 | 1 Unit | 1 No | |
| 6. | S27050 | ENDOTRACHEAL TUBE 5.0 | 1 Unit | 1 No | |
| 7. | S27051 | ENDOTRACHEAL TUBE 5.5 | 1 Unit | 1 No | |
| 8. | S27054 | ENDOTRACHEAL TUBE 5.5 WITH CUFF | 1 Unit | 1 No | |
| 9. | S27052 | ENDOTRACHEAL TUBE 6.0 | 1 Unit | 1 No | |
| 10. | S27055 | ENDOTRACHEAL TUBE 6.0 WITH CUFF | 1 Unit | 1 No | |
| 11. | S27053 | ENDOTRACHEAL TUBE 6.5 | 1 Unit | 1 No | |
| 12. | S27056 | ENDOTRACHEAL TUBE 6.5 WITH CUFF | 1 Unit | 1 No | |
| 13. | S27057 | ENDOTRACHEAL TUBE 7.0 WITH CUFF | 1 Unit | 1 No | |
| 14. | S27058 | ENDOTRACHEAL TUBE 7.5 WITH CUFF | 1 Unit | 1 No | |
| 15. | S27059 | ENDOTRACHEAL TUBE 8.0 WITH CUFF | 1 Unit | 1 No | |
| 16. | S27060 | ENDOTRACHEAL TUBE 8.5 WITH CUFF | 1 Unit | 1 No | |
| 17. | S27061 | ENDOTRACHEAL TUBE 9.0 WITH CUFF | 1 Unit | 1 No | |
| 18. | S27002 | ADHESIVE TAPE U.S.P | 10 cm X 5 mtr | Roll | |
| 19. | S27103 | NON-WOVEN ADHESIVE TAPE | 2.5 cm X 9.1 mtr | Roll | |
| Bid No.28 | | M/s. Udaipur Surgicals Pvt Ltd., Rajasthan. | | | |
| 1. | S27002 | ADHESIVE TAPE U.S.P. | 10 cm X 5 mtr | Roll | The offer of all the products is accepted. |
| 2. | S27103 | NON-WOVEN ADHESIVE TAPE | 2.5cm X 9.1mtr | Roll | |
| Bid No. 29 | | M/s. Rajkumar Dyeing And Printing Works Pvt Ltd, Kolkata | | | |
| 1. | S27075 | RUBBER SHEET MACKINTOSH | 1 mtr | 1 No | The offer of the product is accepted. |
| Bid No. 30 | | M/s. Safe Surgical Industries, Rajasthan | | | |
| 1. | S27007 | ABSORBENT COTTON WOOL IP | 500 gm Net | Packet | The offer of the product is accepted. |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|-------------------|-----------|---|------------------|------|--|
| Bid No. 31 | | M/s. Care Medical Devices Ltd., Uttar Pradesh. | | | |
| 1. | S27239 | DISPOSABLE SYRINGE WITH FIXED NEEDLE 29 G (1ML GRADUATED) | 1ML | 1 No | 1. Notary attested copy of Sale Invoices/ Market standing certificate to prove 3 year market standing not submitted for S27239 - DISPOSABLE SYRINGE WITH FIXED NEEDLE 29 G, 1ML. Hence offer of the product is rejected. The offer of all other products is accepted |
| 2. | S27031 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 2 Cc | 1 No | |
| 3. | S27032 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 5 Cc | 1 No | |
| 4. | S27033 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 10 Cc | 1 No | |
| 5. | S27218 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO 7886) | 20 Cc | 1 No | |
| 6. | S27246 | I.V. SET WITH 22G NEEDLE (ISO 8536) | 1 Unit | 1 No | |
| Bid No. 32 | | M/s. Jajoo Surgicals Pvt Ltd., Madhyapradesh | | | |
| 1. | S27002 | ADHESIVE TAPE U.S.P | 10 cm X 5 mtr | Roll | Tendered Strength not mentioned in the MD License with Product permit & Non Conviction certificate submitted and Notary attested copy of Sale Invoices/ Market standing certificate to prove 3 year market standing not submitted for the quoted items. Hence offer of the firm is rejected. |
| 2. | S27103 | NON-WOVEN ADHESIVE TAPE | 2.5 cm X 9.1 mtr | Roll | |
| Bid No. 33 | | M/s. St. Marys Rubbers Pvt Limited., Kottayam | | | |
| 1. | S27279 | EXAMINATION GLOVES RUBBER (POWDER FREE) | Large | 1 No | The offer of all the products is accepted. |
| 2. | S27280 | EXAMINATION GLOVES RUBBER (POWDER FREE) | Medium | 1 No | |
| 3. | S27197 | GLOVES SURGICAL RUBBER -STERILE (IS 13422) | SIZE 6.5" | Pair | |
| 4. | S27196 | GLOVES SURGICAL RUBBER -STERILE (IS 13422) | SIZE 6" | Pair | |
| 5. | S27198 | GLOVES SURGICAL RUBBER -STERILE (IS 13422) | SIZE 7" | Pair | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|---|------------|------|---|
| 6. | S27199 | GLOVES SURGICAL RUBBER -STERILE (IS 13422) | SIZE 7.5" | Pair | |
| Bid No. 34 | | M/s. Vikamshi Fabrics Pvt Ltd., Maharashtra | | | |
| 1. | S27075 | RUBBER SHEET MACKINTHOSH | 1 mtr | 1 No | The offer of the product is accepted. |
| Bid No. 35. | | M/s. Nihal Healthcare. Himachal Pradesh. | | | |
| 1. | S27025 | DISPOSABLE NEEDLE | 18G X 1" | 1 No | The offer of all the products is accepted. |
| 2. | S27028 | DISPOSABLE NEEDLE | 22G X 1" | 1 No | |
| 3. | S27029 | DISPOSABLE NEEDLE | 23G X 1" | 1 No | |
| 4. | S27030 | DISPOSABLE NEEDLE | 24G X 1" | 1 No | |
| 5. | S27254 | DISPOSABLE NEEDLE | 26G X 1/2" | 1 No | |
| 6. | S27033 | DISPOSABLE SYRINGE WITHOUT NEEDLE (ISO7886) | 10 Cc | 1 No | |
| Bid No. 36. | | M/s. Ravenbeck Latex And Surgicals, Ernakulam | | | |
| 1. | S27196 | GLOVES SURGICAL RUBBER-STERILE (IS 13422) | SIZE 6" | Pair | Notary attested copy of Sales invoices/ Market standing certificate to prove 3 years market standing and License issued by Bureau of Indian Standards (BIS) 3 year prior to the date of notification of the tender is not submitted for all the quoted items. Hence offer of the firm is rejected. |
| 2. | S27197 | GLOVES SURGICAL RUBBER-STERILE (IS 13422) | SIZE 6.5" | Pair | |
| 3. | S27198 | GLOVES SURGICAL RUBBER-STERILE (IS 13422) | SIZE 7" | Pair | |
| 4. | S27199 | GLOVES SURGICAL RUBBER-STERILE (IS 13422) | SIZE 7.5" | Pair | |
| Bid No.37. | | M/s. HLL Lifecare Limited, Thiruvananthapuram. | | | |
| 1 | S27276 | BLOOD COLLECTION SINGLE BAG with CPDA1 (49 ml), 350 ml bag with Diversion Pouch 20 ml and Needle Protector (ISO 3826) | 350 ml | 1 No | The offer of all the products is accepted. |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|---|--|------|---|
| 2. | S27277 | BLOOD COLLECTION TRIPPLE BAG WITH SAGM, Diversion Pouch 20 ml with needle protector. (ISO 3826) | Sterile collapsible non-vented bags made up of DEHP plasticized PVC. Diversion Pouch 20ml. Primary bag - 350ml, with CPD (49ml). First Satelite bag - 300ml, Second Satelite bag - 300ml for platelet storage for 5 days. Slits on both sides of the bags. Flexible nonkinking transparent tubings. Needle - 16G straight sharp regular margins ultrathin walled and beveled tips with needle protector. | 1 No | |
| Bid No. 38. | | M/s. Ribbel International Limited, New Delhi | | | |
| 1 | S27045 | ENDOTRACHEAL TUBE 2.5 | 1 Unit | 1 No | The offer of all the products is accepted. |
| 2 | S27046 | ENDOTRACHEAL TUBE 3.0 | 1 Unit | 1 No | |
| 3 | S27047 | ENDOTRACHEAL TUBE 3.5 | 1 Unit | 1 No | |
| 4 | S27048 | ENDOTRACHEAL TUBE 4.0 | 1 Unit | 1 No | |
| 5 | S27049 | ENDOTRACHEAL TUBE 4.5 | 1 Unit | 1 No | |
| 6 | S27050 | ENDOTRACHEAL TUBE 5.0 | 1 Unit | 1 No | |
| 7 | S27051 | ENDOTRACHEAL TUBE 5.5 | 1 Unit | 1 No | |
| 8 | S27052 | ENDOTRACHEAL TUBE 6.0 | 1 Unit | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken | |
|-------------------|-----------|---|-------------------|--------|----------------|---|
| 9 | S27053 | ENDOTRACHEAL TUBE 6.5 | 1 Unit | 1 No | | |
| 10 | S27054 | ENDOTRACHEAL TUBE 5.5 WITH CUFF | 1 Unit | 1 No | | |
| 11 | S27055 | ENDOTRACHEAL TUBE 6.0 WITH CUFF | 1 Unit | 1 No | | |
| 12 | S27056 | ENDOTRACHEAL TUBE 6.5 WITH CUFF | 1 Unit | 1 No | | |
| 13 | S27057 | ENDOTRACHEAL TUBE 7.0 WITH CUFF | 1 Unit | 1 No | | |
| 14 | S27058 | ENDOTRACHEAL TUBE 7.5 WITH CUFF | 1 Unit | 1 No | | |
| 15 | S27059 | ENDOTRACHEAL TUBE 8.0 WITH CUFF | 1 Unit | 1 No | | |
| 16 | S27060 | ENDOTRACHEAL TUBE 8.5 WITH CUFF | 1 Unit | 1 No | | |
| 17 | S27061 | ENDOTRACHEAL TUBE 9.0 WITH CUFF | 1 Unit | 1 No | | |
| 18 | S27062 | FOLLEYS CATHETER | SIZE 12 F X 10 ml | 1 No | | |
| 19 | S27063 | FOLLEYS CATHETER | SIZE 16 F X 30 ml | 1 No | | |
| 20 | S27064 | FOLLEYS CATHETER | SIZE 18 F X 30 ml | 1 No | | |
| 21 | S27067 | FOLLEYS CATHETER | SIZE 10 F X 10 ml | 1 No | | |
| 22 | S27193 | FOLLEYS CATHETER | SIZE 14 F X 30 ml | 1 No | | |
| 23 | S27095 | URINE COLLECTION BAG WITH VALVE OUTLET | 2 Litre | 1 No | | |
| Bid No.39. | | M/s. Murugan Pharma, Punalur | | | | |
| 1. | D25013 | WASHING SODA | 1 Kg | Packet | | The offer of the product is accepted. |
| Bid No.40. | | M/s. MRK Healthcare Pvt Ltd., Mumbai | | | | |
| 1. | S27279 | EXAMINATION GLOVES RUBBER (POWDER FREE) | Large | 1 No | | 1. Notary attested copy of valid Import License and previous Import Licenses issued 3 years prior to the date of notification of the tender and Valid License for the sale of items imported by the |
| 2. | S27280 | EXAMINATION GLOVES RUBBER (POWDER FREE) | Medium | 1 No | | |
| 3 | S27197 | GLOVES SURGICAL RUBBER -STERILE (IS 13422) | SIZE 6.5" | Pair | | |
| 4. | S27196 | GLOVES SURGICAL RUBBER -STERILE (IS 13422) | SIZE 6" | Pair | | |
| 5 | S27198 | GLOVES SURGICAL RUBBER -STERILE (IS 13422) | SIZE 7" | Pair | | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|---------------|---|-----------|------|---|
| 6 | S27199 | GLOVES SURGICAL RUBBER -STERILE (IS 13422) | SIZE 7.5" | Pair | <p>firm issued by the Licensing authority not submitted for the following;</p> <p>S27279 - EXAMINATION GLOVES RUBBER (POWDER FREE), Large</p> <p>S27280 - EXAMINATION GLOVES RUBBER (POWDER FREE), Medium</p> <p>The offer of the products is rejected.</p> <p>The offer of all other products is accepted.</p> |
| Bid No. 41. | | M/s. Advanced Medtech Solutions Pvt Limited., Gujarat | | | |
| 1. | S27520/1 2 | MONOFILAMENT POLYAMIDE 2-0, 30-36MM, 3/8 CIRCLE CUTTING NEEDLE, 70-90CM | 1 Foil | 1 No | The offer of all the products is accepted. |
| 2. | S27523/1 2 | MONOFILAMENT POLYAMIDE 3-0, 30-36MM, 3/8 CIRCLE CUTTING NEEDLE, 70-90CM | 1 Foil | 1 No | |
| 3. | S27525 | MONOFILAMENT POLYPROPYLENE BLUE 1, 70-90CM 1/2 CRB (HEAVY) 40MM | 1 Foil | 1 No | |
| 4. | S27529 | POLIGLECAPRONE 25, UNDYED, SIZE 3/0 WITH 3/8 CIRCLE CUTTING / REVERSE CUTTING NEEDLE 24-28MM, 70-90 CM | 1 Foil | 1 No | |
| 5. | S27533 | POLYDIOXANONE OF SIZE 1 WITH 1/2 CIRCLE RB, 45- 50MM HEAVY NEEDLE SUTURE LENGTH 1.5 M, FOR SHEATH CLOSURE | 1 Foil | 1 No | |
| 6. | S27538 | POLYGLACTIN 910, SIZE 2- 0, 1/2 CRB, 30MM NEEDLE, 70-90CM | 1 Foil | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|---------------|--|----------|---------------|--|
| 7. | S27539 | POLYGLACTIN 910, SIZE 3- 0, 1/2 CRB, 26-30MM NEEDLE ,70-90CM | 1 Foil | 1 No | |
| 8. | S27549 | POLYPROPYLENE 2-0, 1/2 CRB 26-30MM NEEDLE ,70-90 CM | 1 Foil | 1 No | |
| 9. | S27561/1 2 | SURGICAL SILK 2-0, 1/2 CIRCLE CUTTING NEEDLE 30MM,70-90 CM | 1 Foil | 1 No | |
| 10. | S27564 | SURGICAL SILK 4-0, 1/2 CIRCLE TAPERCUT NEEDLE 17MM,70-90 CM | 1 Foil | 1 No | |
| 11. | S27565 | SUTURE PACK SILK NO. 1, 2X70-90 CM | 1 Foil | 1 No | |
| 12. | S27568 | SUTURE PACK SILK NO. 2-0, 2X70-90 CM | 1 Foil | 1 No | |
| Bid No. 42. | | M/s. Johnson & Smith Co., Karnataka. | | | |
| 1. | D25012 | BLACK DISINFECTANT FLUID (GRIII RWC 5-7) BIS LOTION | 5 Litre | Can | The offer of all the products is accepted. |
| 2. | D25006 | CHLOROXYLENOL SOLUTION IP | 5% w/v | 5 Lit Can | |
| 3. | D25014 | FORMALDEHYDE SOLUTION IP | 37% w/v | 450 ml Bottle | |
| Bid No.43. | | M/s. Oscar Medicare Pvt Ltd., New Delhi | | | |
| 1. | D26024 | FOURTH GENERATION ELISA KIT FOR DETECTION OF P24 ANTIGEN AND ANTIBODY TO HIV 1&2 | 1TEST | 1 No | The samples submitted for the following items for qualitative evaluation as per clause 6.16 of the tender document is rejected by the Technical Committee. D26024 - FOURTH GENERATION ELISA KIT FOR DETECTION OF P24 ANTIGEN AND ANTIBODY TO HIV 1&2, 1TEST D26022 - HEPATITIS B SURFACE ANTIGEN SCREENING-ELISA TEST KIT, 1TEST. D26018 - HIV 1&2 |
| 2. | D26022 | HEPATITIS B SURFACE ANTIGEN SCREENING-ELISA TEST KIT | 1TEST | 1 No | |
| 3. | D26018 | HIV 1&2 ANTIBODY SCREENING-ELISA TEST KIT | 1TEST | 1 No | |
| 4. | D26006 | MALARIA ANTIGEN DETECTING CARD (PV + PF) | 1TEST | 1 No | |
| 5. | D26033 | SYPHILIS - ELISA TEST KIT | 1TEST | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|--|------------|--------|---|
| | | | | | ANTIBODY SCREENING-ELISA TEST KIT, 1TEST D26033 - SYPHILIS - ELISA TEST KIT, 1TEST Hence offer of the products is rejected. The offer of other product is accepted. |
| Bid No. 44. | | M/s. Kanam Latex Industries Pvt Ltd., Tamilnadu | | | |
| 1. | S27279 | EXAMINATION GLOVES RUBBER (POWDER FREE) | Large | 1 No | Notary attested copy of Valid Import License and Previous Import Licenses issued 3 years prior to the date of notification of the tender and Valid License for the sale of items imported by the firm issued by the Licensing authority is not submitted for the following items; S27279 - EXAMINATION GLOVES RUBBER (POWDER FREE), Large S27280 - EXAMINATION GLOVES RUBBER (POWDER FREE), Medium Hence offer of the products is rejected. The offer of all other products is accepted. |
| 2. | S27280 | EXAMINATION GLOVES RUBBER (POWDER FREE) | Medium | 1 No | |
| 3. | S27197 | GLOVES SURGICAL RUBBER – STERILE (IS 13422) | SIZE 6.5” | Pair | |
| 4. | S27196 | GLOVES SURGICAL RUBBER – STERILE (IS 13422) | SIZE 6” | Pair | |
| 5. | S27198 | GLOVES SURGICAL RUBBER – STERILE (IS 13422) | SIZE 7” | Pair | |
| 6. | S27199 | GLOVES SURGICAL RUBBER – STERILE (IS 13422) | SIZE 7.5” | Pair | |
| Bid No. 45. | | M/s. Age Industries Pvt Ltd, Palakkad | | | |
| 1 | S27196 | GLOVES SURGICAL RUBBER STERILE (IS 13422) | Size 6" | pair | The offer of all the products is accepted. |
| 2 | S27197 | GLOVES SURGICAL RUBBER STERILE (IS 13422) | Size 6.5" | pair | |
| Bid No. 46. | | M/s. New Care Hygiene Products, Ernakulam | | | |
| 1. | S27233 | UMBILICAL CORD CLAMP | - | 1 No | 1. Notary attested copy of Valid renewal License |
| 2. | S27007 | ABSORBANT COTTON WOOL IP | 500 gm Net | Packet | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken | |
|--------------------|-----------|---|-----------------|-------------|--|---|
| 3. | S27099 | DISPOSABLE SURGEONS CAP - FEMALE | 1 Unit | 1 No | for the use of Standard mark (IS) and License issued by Bureau of Indian Standards (BIS) 3 year prior to the date of notification of the tender and its renewals not submitted for S27275 -DISPOSABLE TRIPLE LAYER MASK WITH TYING STRAP IS 16289:2014 Hence offer of the product is rejected. | |
| 4. | S27098 | DISPOSABLE SURGEONS CAP - MALE | 1 Unit | 1 No | | |
| 5. | S27275 | DISPOSABLE TRIPLE LAYER MASK WITH TYING STRAP IS 16289:2014 | 1 Unit | 1 No | | |
| 6 | S27075 | RUBBER SHEET MACKINTHOSH | 1 mtr | 1 No | | 2. Notary attested copy of MD License with Product permit, Market standing certificate, Non conviction certificate not submitted for the quoted items and also details of Manufacturing units not furnished in the Anx VII submitted Hence offer of the firm is rejected. |
| Bid No. 47. | | M/s. Cadila Pharmaceuticals Limited., Gujarat | | | | |
| 1. | S27197 | GLOVES SURGICAL RUBBER - STERILE (IS 13422) | SIZE 6.5" | Pair | 1. Tendered Monograph BP not mentioned in the MD License with Product permit, Market standing certificate (2023)and Non conviction certificate submitted for the following; S27230 - PLASTER OF PARIS BANDAGE BP , 10 cm X 2.7 mtr S27001 - PLASTER OF | |
| 2. | S27196 | GLOVES SURGICAL RUBBER - STERILE (IS 13422) | SIZE 6" | Pair | | |
| 3. | S27198 | GLOVES SURGICAL RUBBER - STERILE (IS 13422) | SIZE 7" | Pair | | |
| 4. | S27199 | GLOVES SURGICAL RUBBER - STERILE (IS 13422) | SIZE 7.5" | Pair | | |
| 5. | S27230 | PLASTER OF PARIS BANDAGE BP | 10 cm X 2.7 mtr | Roll | | |
| 6. | S27001 | PLASTER OF PARIS BANDAGES B.P | 15 cm X 2.7 mtr | Roll | | |
| 7. | D25007 | GLUTERALDEHYDE SOLUTION(WITHOUT | 2% | 5 Litre Can | | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|-----------|-------------|----------|------|--|
| | | SURFACTANT) | | | <p>PARIS BANDAGES BP, 15 cm X 2.7 mtr</p> <p>Hence offer of the products is rejected</p> <p>2. Notary Attested copy of Market standing certificate/ Sales invoices to prove 3 year Market standing not submitted for the following;</p> <p>S27197 -GLOVES SURGICAL RUBBER - STERILE (IS 13422), SIZE 6.5"</p> <p>S27196 -GLOVES SURGICAL RUBBER - STERILE (IS 13422), SIZE 6"</p> <p>S27198 -GLOVES SURGICAL RUBBER - STERILE (IS 13422), SIZE 7"</p> <p>S27199 -GLOVES SURGICAL RUBBER - STERILE (IS 13422), SIZE 7.5"</p> <p>S27230 -PLASTER OF PARIS BANDAGE BP, 10 cm X 2.7 mtr</p> <p>S27001 -PLASTER OF PARIS BANDAGES B.P, 15 cm X 2.7 mtr</p> <p>Hence offer of the products is rejected</p> <p>3. Notary Attested copy of GMP certificate not submitted from the License No. MFG/MD/2023/000176 & MFG/MD/2023/000023</p> <p>Hence offer of the</p> |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|---|----------|-----------|--|
| | | | | | <p>following products is rejected.</p> <p>S27230 - PLASTER OF PARIS BANDAGE BP, 10 cm X 2.7 mtr</p> <p>S27001 - PLASTER OF PARIS BANDAGES BP, 15 cm X 2.7 mtr</p> <p>S27197 - GLOVES SURGICAL RUBBER - STERILE (IS 13422), SIZE 6.5"</p> <p>S27196 - GLOVES SURGICAL RUBBER - STERILE (IS 13422), SIZE 6"</p> <p>S27198 - GLOVES SURGICAL RUBBER - STERILE (IS 13422), SIZE 7"</p> <p>S27199 - GLOVES SURGICAL RUBBER - STERILE (IS 13422), SIZE 7.5"</p> <p>4. Notary attested copy of Performance statement in Annexure IV not submitted separately for the quoted items.</p> <p>Hence offer of the firm is rejected.</p> |
| Bid No. 48. | | M/s. Alliance Formulations, Himachal Pradesh | | | |
| 1. | D25010 | CHLORHEXIDINE GLUCONATE 2.5% V/V + ETHYL ALCOHOL 70% V/V SOLUTION | 200 ml | Bottle | The offer of all the products is accepted. |
| 2. | D25008 | ORTHO-PHTHALALDEHYDE SOLUTION | 0.55% | 5 Ltr Can | |
| Bid No. 49. | | M/s. Medsource Ozone Biomedicals Pvt Ltd., Haryana | | | |
| 1. | D26002 | ANTI A MONOCLONAL IgM TITRE VALUE 512 (MINIMUM) SOLUTION | 10 ml | Bottle | The samples submitted for the following items for qualitative evaluation as |
| 2. | D26003 | ANTI AB MONOCLONAL | 10 ml | Bottle | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|--|----------|--------|--|
| | | IgM TITRE VALUE 512 (MINIMUM) SOLUTION | | | per clause 6.16 of the tender document is rejected by the technical committee. D26026 - DENGUE LATEX AGGLUTINATION TEST KIT(RAPID METHOD) 1TEST D26006 - MALARIA ANTIGEN DETECTING CARD (PV + PF), 1 TEST |
| 3. | D26004 | ANTI B MONOCLONAL IgM TITRE VALUE 512 (MINIMUM) SOLUTION | 10 ml | Bottle | |
| 4. | D26005 | ANTI D MONOCLONAL IgM TITRE VALUE 512 SOLUTION | 10 ml | Bottle | |
| 5. | D26026 | DENGUE LATEX AGGLUTINATION TEST KIT(RAPID METHOD) | 1TEST | 1 No | |
| 6. | D26016 | HEPATITS C ANTIBODY SCREENING KIT – EIA VISUAL ASSAY(RAPID METHOD) | 1 TEST | 1 No | The offer of all other products is accepted. |
| 7. | D26019 | HIV 1 & 2 ANTIBODY SCREENING EIA VISUAL ASSAY(RAPID METHOD) | 1 TEST | 1 No | |
| 8. | D26006 | MALARIA ANTIGEN DETECTING CARD (PV + PF) | 1 TEST | 1 No | |
| Bid No. 50. | | M/s. Teecee Pharma, Thiruvananthapuram. | | | |
| 1. | D25013 | WASHING SODA | 1 Kg | Packet | The offer of the product is accepted. |
| Bid No. 51. | | M/s. Affigenix Biosolutions Pvt Ltd., Tamilnadu | | | |
| 1. | D26002 | ANTI A MONOCLONAL IGM TITRE VALUE 512 (MINIMUM) SOLUTION | 10 ml | Bottle | 1. Average Annual turnover of Rs. 25 Crores as per Clause no: 5.2.3 of the tender document not complied with. 2. MD License with Product permit submitted is not signed by the Licensing authority. 3. Notary attested copy of following documents from License No. MFG/IVD/2020/000129 not submitted, a) Market Standing |
| 2. | D26003 | ANTI AB MONOCLONAL IGM TITRE VALUE 512 (MINIMUM)SOLUTION | 10 ml | Bottle | |
| 3. | D26004 | ANTI B MONOCLONAL IGM | 10 ml | Bottle | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------------------|-----------|--|------------|------|---|
| | | TITRE VALUE 512 (MINIMUM) SOLUTION | | | Certificate/ Sales Invoices of last 3 years to prove three year Market standing |
| 4 | D26030 | ANTI HUMAN GLOBULIN SERUM (COOMBS SERUM) POLY SPECIFIC (IGG + C3D) | 5 ml | Vial | <p>b) GMP certificate</p> <p>4. All the Documents Submitted along with online bid is not attested by Notary public.</p> <p>5. Samples for the quoted products required for the qualitative evaluation as per clause 6.16 of the tender document is not submitted and hence rejected.</p> <p>Hence the Offer of the firm is rejected.</p> |
| Bid No. 52. | | M/s. Disposafe Health and Life Care Ltd., New Delhi | | | |
| 1. | S27009 | BLOOD ADMINISTRATION SET WITH MICROAGREGATE FILTER | MI | 1 No | <p>1. Tendered Strength 26G x 1/2" not mentioned in the bid offer form in Anx II submitted for S27254 – DISPOSABLE NEEDLE, 26G x 1/2"</p> <p>Hence offer of the product is rejected</p> <p>2. Drug Name is wrongly mentioned in the bid offer form in Anx II submitted for S27039 - DISPOSABLE THREE WAY STOPCOCK</p> <p>Hence offer of the product is rejected</p> |
| 2. | S27025 | DISPOSABLE NEEDLE | 18G x 1" | 1 No | |
| 3. | S27028 | DISPOSABLE NEEDLE | 22G x 1" | 1 No | |
| 4. | S27029 | DISPOSABLE NEEDLE | 23G x 1" | 1 No | |
| 5. | S27030 | DISPOSABLE NEEDLE | 24G x 1" | 1 No | |
| 6. | S27254 | DISPOSABLE NEEDLE | 26G x 1/2" | 1 No | |
| 7. | S27291 | FISTULA NEEDLE | 16G | 1 No | |
| 8. | S27292 | FISTULA NEEDLE | 17G | 1 No | |
| 9. | S27038 | I.V. CANNULA | 24 G | 1 No | |
| 10. | S27034 | I.V. CANNULA WITH INJECTION PORT | 16 G | 1 No | |
| 11. | S27035 | I.V. CANNULA WITH INJECTION PORT | 18 G | 1 No | |
| 12. | S27036 | I.V. CANNULA WITH INJECTION PORT | 20 G | 1 No | |
| 13. | S27037 | I.V. CANNULA WITH INJECTION PORT | 22 G | 1 No | |
| 14. | S27246 | I.V. SET WITH 22G NEEDLE (ISO | 1 Unit | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--------|-----------|--|-------------------|------|--|
| | | 8536) | | | <p>3. Tendered Strength SIZE 16 F X 30 ml not mentioned in the bid offer form in Anx II submitted for S27063- FOLLEYS CATHETER, SIZE 16 F X 30 ml</p> <p>Hence offer of the product is rejected</p> <p>4. The following items are not mentioned in the Notary attested copy of Non Conviction Certificate submitted;</p> <p>S27076 - RYLES TUBE, SIZE 10 F S27077 - RYLES TUBE, SIZE 12 F S27079 - RYLES TUBE, SIZE 16 F S27089 - SUCTION CATHETER, SIZE - 10 S27090 - SUCTION CATHETER, SIZE - 12 S27091 - SUCTION CATHETER, SIZE - 14 S27092 - SUCTION CATHETER, SIZE - 6 S27093 - SUCTION CATHETER, SIZE - 8 S27233 - UMBILICAL CORD CLAMP</p> <p>Hence offer of the products is rejected.</p> <p>5. Notary attested copy of Performance statement in Annexure IV not submitted separately for the following;</p> <p>S27254 - DISPOSABLE NEEDLE, 26G x 1/2"</p> |
| 15. | S27041 | SPINAL NEEDLE | SIZE 23 G | 1 No | |
| 16. | S27238 | SPINAL NEEDLE | SIZE 25 G | 1 No | |
| 17. | S27014 | BP BLADE | SIZE -10 | 1 No | |
| 18. | S27015 | BP BLADE | SIZE -11 | 1 No | |
| 19. | S27016 | BP BLADE | SIZE -15 | 1 No | |
| 20. | S27017 | BP BLADE | SIZE -20 | 1 No | |
| 21. | S27019 | BP BLADE | SIZE -22 | 1 No | |
| 22. | S27039 | DISPOSABLE THREE WAY STOPCOCK | 1 Unit | 1 No | |
| 23. | S27062 | FOLLEYS CATHETER | SIZE 12 F X 10 ml | 1 No | |
| 24. | S27063 | FOLLEYS CATHETER | SIZE 16 F X 30 ml | 1 No | |
| 25. | S27064 | FOLLEYS CATHETER | SIZE 18 FX 30 ml | 1 No | |
| 26. | S27067 | FOLLEYS CATHETER | SIZE 10 F X 10 ml | 1 No | |
| 27. | S27193 | FOLLEYS CATHETER | SIZE 14 F X 30 ml | 1 No | |
| 28. | S27069 | INFANT FEEDING TUBE | SIZE 4F | 1 No | |
| 29. | S27070 | INFANT FEEDING TUBE | SIZE 10F | 1 No | |
| 30. | S27071 | INFANT FEEDING TUBE | SIZE 5F | 1 No | |
| 31. | S27072 | INFANT FEEDING TUBE | SIZE 6F | 1 No | |
| 32. | S27073 | INFANT FEEDING TUBE | SIZE 8F | 1 No | |
| 33. | S27076 | RYLES TUBE | SIZE 10 F | 1 No | |
| 34. | S27077 | RYLES TUBE | SIZE 12 F | 1 No | |
| 35. | S27079 | RYLES TUBE | SIZE 16 F | 1 No | |
| 36. | S27089 | SUCTION CATHETER | SIZE - 10 | 1 No | |
| 37. | S27090 | SUCTION CATHETER | SIZE - 12 | 1 No | |
| 38. | S27091 | SUCTION CATHETER | SIZE - 14 | 1 No | |
| 39. | S27092 | SUCTION CATHETER | SIZE - 6 | 1 No | |
| 40. | S27093 | SUCTION CATHETER | SIZE - 8 | 1 No | |
| 41. | S27233 | UMBILICAL CORD CLAMP | - | 1 No | |
| 42. | S27068 | YANKAUER SUCTION SET (Vacusuck Set) - MOULDED TRANSPARENT HAVING NO JOINTS ON THE SURFACE OF THE TUBING | 2.5 M | 1 No | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|--|-----------|--|----------|------|---|
| | | | | | <p>S27291 - FISTULA NEEDLE, 16G</p> <p>S27292 - FISTULA NEEDLE, 17G</p> <p>S27041 - SPINAL NEEDLE, SIZE 23 G</p> <p>S27238 - SPINAL NEEDLE, SIZE 25 G</p> <p>S27039 - DISPOSABLE THREE WAY STOPCOCK, 1 Unit</p> <p>S27069 - INFANT FEEDING TUBE, SIZE 4F</p> <p>S27070 - INFANT FEEDING TUBE, SIZE 10F</p> <p>S27071 - INFANT FEEDING TUBE, SIZE 5F</p> <p>S27072 - INFANT FEEDING TUBE, SIZE 6F</p> <p>S27073 - INFANT FEEDING TUBE, SIZE 8F</p> <p>S27077 - RYLES TUBE, SIZE 12 F</p> <p>S27092 - SUCTION CATHETER, SIZE - 6</p> <p>S27093 - SUCTION CATHETER, SIZE - 8</p> <p>S27089 - SUCTION CATHETER, SIZE - 10</p> <p>Hence the Offer of the products is rejected.</p> <p>6. Notary attested copy of Valid Market standing Certificate to prove 3 year Market standing not submitted for the quoted items.</p> <p>Hence the Offer of the firm is rejected.</p> |
| Bid No. 53. | | M/s. Kerala State Drugs And Pharmaceuticals Ltd | | | |
| Kerala State Public Sector Undertaking | | | | | |

| Sl. No | Drug Code | Drug Name | Strength | Unit | Decision taken |
|-------------|-----------|--|----------|------|--|
| Bid No. 54. | | M/s. Mariya Healthcare Pvt Ltd, Palakkad | | | |
| 1. | S27279 | EXAMINATION GLOVES RUBBER (POWDER FREE) | LARGE | 1 No | The offer of all the products is accepted. |
| 2. | S27280 | EXAMINATION GLOVES RUBBER (POWDER FREE) | MEDIUM | 1 No | |

sd/-

MANAGING DIRECTOR
KERALA MEDICAL SERVICES CORPORATION LTD.
(TENDER INVITING AUTHORITY)