



Running Contract Details	
Equipment Name	LAMINECTOMY SET
Running Contract Valid Till	08-11-2025
Tender Ref No	KMSCL/EP/T498/555B/2023
Tendered Quantity	Item wise mentioned in below
Supplier Name	M/s Aswini Health Specialities India Pvt Ltd
GST No	32AAGCA4309K1ZW
Installation & Delivery Period	8 Week(s)
Up-time / PM vist	95% & 0 Visits per year
Warranty period	3 Years

Supplier`s Details		
Address	Contact Details	
Door No.IV/675 Ferry Road Kalamassery Ernakulam	Contact Person	Manoj K A
	Phone	04842550121
	Mobile No	9847940976
	Email	aswinihealthspecialities@gmail.com

Item-wise Price Details					
#	Item Details	Tendered Qty	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	FOERSTER-BALLENGER Sponge Forceps, straight, 245 mm (9 5/8"), oval, serrated, fenestrated, box lock, with ratchet, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	5824 Incl.GST :12%	429.52	6253.52
2	Towel Clamp, curved, 115 mm (4 1/2"), non perforating, blunt, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	5465.6 Incl.GST :12%	403.09	5868.69
3	Scalpel Handle, 135 mm (5 1/4"), No. 4, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	828.8 Incl.GST :12%	61.12	889.92
4	Scalpel Handle, 160 mm (6 1/4"), No. 7, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	1697.92 Incl.GST :12%	125.22	1823.14
5	Surgical Scissors, straight, 145 mm (5 3/4"), standard, sharp/blunt, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	3283.84 Incl.GST :12%	242.18	3526.02

Item-wise Price Details					
6	DUROTIP TC Suture Scissors, curved, 180 mm (7"), wave cut, blunt/blunt, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	27440 Incl.GST :12%	2023.7	29463.7
7	MAYO DUROTIP TC Dissecting Scissors, curved, 170 mm (6 3/4"), chamfered blades, blunt/blunt, non sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	24080 Incl.GST :12%	1775.9	25855.9
8	METZENBAUM DUROTIP TC Dissecting Scissors, curved, 200 mm (7 7/8"), blunt/blunt, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	25872 Incl.GST :12%	1908.06	27780.06
9	Tissue Forceps, standard, straight, 145 mm (5 3/4"), standard, toothed (1x2), non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	1716.96 Incl.GST :12%	126.63	1843.59
10	GERALD Tissue Forceps, straight, 175 mm (6 7/8"), delicate, toothed (1x2), non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	6574.4 Incl.GST :12%	484.86	7059.26
11	GRUENWALD Micro Grasping Forceps, straight, 200 mm (7 7/8"), bayonet-shaped, serrated, non sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	8888.32 Incl.GST :12%	655.51	9543.83
12	DE BAKEY ATRAUMATA Atraumatic Forceps, straight, 200 mm (7 7/8"), toothing DE BAKEY, width: 2,800 mm, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	10920 Incl.GST :12%	805.35	11725.35
13	HALSTED (MOSQUITO) Hemostatic Forceps, curved, 125 mm (5"), delicate, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	4188.8 Incl.GST :12%	308.92	4497.72
14	CRILE Hemostatic Forceps, curved, 140 mm (5 1/2"), delicate, blunt, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	4188.8 Incl.GST :12%	308.92	4497.72
15	KOCHER Hemostatic Forceps, straight, 140 mm (5 1/2"), toothed (1x2), non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	4547.2 Incl.GST :12%	335.36	4882.56
16	MIXTER (BABY) Dissecting Forceps, strongly curved, 180 mm (7"), non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	12275.2 Incl.GST :12%	905.3	13180.5
17	HALSTED Haemostatic Forceps, curved, 185 mm (7 1/4"), delicate, blunt, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	8077.44 Incl.GST :12%	595.71	8673.15

Item-wise Price Details					
18	CRILE-WOOD DUROGRIP TC Needle holder, straight, 145 mm (5 3/4"), with 0.4 mm pitch of serration, suture 4/0 - 6/0, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	15272.32 Incl.GST :12%	1126.33	16398.65
19	DE BAKEY DUROGRIP TC Needle holder, straight, 180 mm (7"), with 0.4 mm pitch of serration, suture 4/0 - 6/0, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	15512 Incl.GST :12%	1144.01	16656.01
20	HEGAR-MAYO DUROGRIP TC Needle holder, straight, 185 mm (7 1/4"), with 0.5 mm pitch of serration, suture up to 3/0, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	14347.2 Incl.GST :12%	1058.11	15405.31
21	PATTERN US-ARMY Wound Retractor, 220 mm (8 3/4"), double ended, 22 x 15 mm, 26 x 15 mm, 39 x 15 mm, 43 x 15 mm, non-sterile, reusable, <i>Model & Make : B Braun-Aesculap</i>	5	5969.6 Incl.GST :12%	440.26	6409.86
22	VOLKMANN Wound Retractor (With Prong), 220 mm (8 3/4"), 4 prongs, semi-sharp, depth: 8,500 mm, width: 19 mm, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	9251.2 Incl.GST :12%	682.28	9933.48
23	ADSON Laminectomy Retractor, with joint, 320 mm (12 1/2"), 4 x 5 prongs, semi-sharp, with ratchet, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	73259.2 Incl.GST :12%	5402.87	78662.07
24	CUSHING Vein Retractor, 205 mm (8"), depth: 10 mm, width: 13 mm, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	7336 Incl.GST :12%	541.03	7877.03
25	CASPAR Nerve- And Vessel Hook, 90 Å°, angled, 245 mm (9 5/8"), bulb-headed tip, tip length: 7 mm, round handle, medium, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	14716.8 Incl.GST :12%	1085.36	15802.16
26	DAVIS Dissector, slightly curved, 245 mm (9 5/8"), double ended, blunt, round handle, width: 4,500 mm, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	8008 Incl.GST :12%	590.59	8598.59
27	CASPAR Nerve Root Retractor, 240 mm (9 1/2"), working length: 90 mm (3 1/2), bayonet-shaped, blunt, width: 8 mm, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	14436.8 Incl.GST :12%	1064.71	15501.51

Item-wise Price Details					
28	FERGUSSON Suction Cannula, 215 mm (8 1/2"), working length: 130 mm (5 1/8"), diam. 4 mm, 12FR, luer hub, non-sterile, reusable, for suction hose 6 - 9 mm <i>Model & Make : B Braun-Aesculap</i>	5	6686.4 Incl.GST :12%	493.12	7179.52
29	BONE RONGEUR STRONG CVD 240MM <i>Model & Make : B Braun-Aesculap</i>	5	42694.4 Incl.GST :12%	3148.71	45843.11
30	Bone Curette, straight, 250 mm (9 3/4"), Fig. 1, width: 6,800 mm, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	18715.2 Incl.GST :12%	1380.25	20095.45
31	STILLE Bone rongeur, angled to side, double action, 235 mm, 9 1/4" <i>Model & Make : B Braun-Aesculap</i>	5	140504 Incl.GST :12%	10362.17	150866.17
32	MOLLISON Self retaining retractor, angled, sharp, 4 x 4 prongs, 155 mm, 6" <i>Model & Make : B Braun-Aesculap</i>	5	41070.4 Incl.GST :12%	3028.94	44099.34
33	ANDERSON-ADSON Self retaining retractor, sharp, 4 x 4 prongs, 190 mm, 7 1/2" <i>Model & Make : B Braun-Aesculap</i>	5	55843.2 Incl.GST :12%	4118.44	59961.64
34	OLIVECRONA Bone rongeur, curved, 205 mm, 8" <i>Model & Make : B Braun-Aesculap</i>	5	42694.4 Incl.GST :12%	3148.71	45843.11
35	TOENNIS-ADSON Dissecting scissors, curved, blunt/blunt, delicate, 175 mm, 7" <i>Model & Make : B Braun-Aesculap</i>	5	9094.4 Incl.GST :12%	670.71	9765.11
36	SCHMIEDEN-TAYLOR Dura scissors, angled to side, 1 blade probe pointed, 155 mm, 6" <i>Model & Make : B Braun-Aesculap</i>	5	15456 Incl.GST :12%	1139.88	16595.88
37	CURETTE 5.2MM 180MM <i>Model & Make : B Braun-Aesculap</i>	5	14123.2 Incl.GST :12%	1041.59	15164.79
38	COBB Raspatory, slightly curved, 280 mm (11"), sharp, width: 13 mm, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	11760 Incl.GST :12%	867.3	12627.3
39	COBB Raspatory, slightly curved, 280 mm (11"), sharp, width: 19 mm, non-sterile, reusable <i>Model & Make : B Braun-Aesculap</i>	5	11760 Incl.GST :12%	867.3	12627.3
40	LAMBOTTE OSTEOTOME STR 6MM 240MM <i>Model & Make : B Braun-Aesculap</i>	5	19644.8 Incl.GST :12%	1448.8	21093.6
41	MALLET 380GR.HEAD <i>Model & Make : B Braun-Aesculap</i>	5	49112 Incl.GST :12%	3622.01	52734.01
42	RONGEUR STANDARD STR 3.0/180MM <i>Model & Make : B Braun-Aesculap</i>	5	58576 Incl.GST :12%	4319.98	62895.98

Item-wise Price Details					
43	Kidney Tray, 250 mm (10"), stainless steel <i>Model & Make : B Braun-Aesculap</i>	5	1523.2 Incl.GST :12%	112.34	1635.54
44	Round Bowl, 83 mm, height: 41 mm, width: 54 mm, 160 ml <i>Model & Make : B Braun-Aesculap</i>	5	1769.6 Incl.GST :12%	130.51	1900.11
			875005.6	64531.66	939537.26

Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender document).
2. The supplier shall submit performance security amounting to 5.00% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

Technical Specification

Equipment :FOERSTER-BALLENGER Sponge Forceps, straight, 245 mm (9 5/8"), oval, serrated, fenestrated, box lock, with ratchet, non-sterile, reusable

Equipment: Laminectomy Set

1. FOERSTER-BALLENGER Sponge Forceps, straight, 245 mm (9 5/8"), oval, serrated, fenestrated, box lock, with ratchet, non-sterile, reusable .

Equipment :Towel Clamp, curved, 115 mm (4 1/2"), non perforating, blunt, non-sterile, reusable

1. Towel Clamp, curved, 115 mm (4 1/2"), non perforating, blunt, non-sterile, reusable

Equipment :Scalpel Handle, 135 mm (5 1/4"), No. 4, non-sterile, reusable

1. Scalpel Handle, 135 mm (5 1/4"), No. 4, non-sterile, reusable -1no

Equipment :Scalpel Handle, 160 mm (6 1/4"), No. 7, non-sterile, reusable

1. Scalpel Handle, 160 mm (6 1/4"), No. 7, non-sterile, reusable -1no

Equipment :Surgical Scissors, straight, 145 mm (5 3/4"), standard, sharp/blunt, non-sterile, reusable

1. Surgical Scissors, straight, 145 mm (5 3/4"), standard, sharp/blunt, non-sterile, reusable -1no

Equipment :DUROTIP TC Suture Scissors, curved, 180 mm (7"), wave cut, blunt/blunt, non-sterile, reusable

1. DUROTIP TC Suture Scissors, curved, 180 mm (7"), wave cut, blunt/blunt, non-sterile, reusable -1no

Equipment :MAYO DUROTIP TC Dissecting Scissors, curved, 170 mm (6 3/4"), chamfered blades, blunt/blunt, non sterile, reusable

1. MAYO DUROTIP TC Dissecting Scissors, curved, 170 mm (6 3/4"), chamfered blades, blunt/blunt, non-sterile, reusable -1no

Equipment :METZENBAUM DUROTIP TC Dissecting Scissors, curved, 200 mm (7 7/8"), blunt/blunt, non-sterile, reusable

1. METZENBAUM DUROTIP TC Dissecting Scissors, curved, 200 mm (7 7/8"), blunt/blunt, non-sterile, reusable -1no

Equipment :Tissue Forceps, standard, straight, 145 mm (5 3/4"), standard, toothed (1x2), non-sterile, reusable

1. Tissue Forceps, standard, straight, 145 mm (5 3/4"), standard, toothed (1x2), non-sterile, reusable -

Equipment :GERALD Tissue Forceps, straight, 175 mm (6 7/8"), delicate, toothed (1x2), non-sterile, reusable

1. GERALD Tissue Forceps, straight, 175 mm (6 7/8"), delicate, toothed (1x2), non-sterile, reusable -1no

Equipment :GRUENWALD Micro Grasping Forceps, straight, 200 mm (7 7/8"), bayonet-shaped, serrated, non sterile, reusable

1. GRUENWALD Micro Grasping Forceps, straight, 200 mm (7 7/8"), bayonet-shaped, serrated, non-sterile, reusable-1no

Equipment :DE BAKEY ATRAUMATA Atraumatic Forceps, straight, 200 mm (7 7/8"), tothing DE BAKEY, width: 2,800 mm, non-sterile, reusable

1. DE BAKEY ATRAUMATA Atraumatic Forceps, straight, 200 mm (7 7/8"), tothing DE BAKEY, width: 2,800 mm, non-sterile, reusable-1no

Equipment :HALSTED (MOSQUITO) Hemostatic Forceps, curved, 125 mm (5"), delicate, non-sterile, reusable

1. HALSTED (MOSQUITO) Hemostatic Forceps, curved, 125 mm (5"), delicate, non-sterile, reusable -

Equipment :CRILE Hemostatic Forceps, curved, 140 mm (5 1/2"), delicate, blunt, non-sterile, reusable

1. CRILE Hemostatic Forceps, curved, 140 mm (5 1/2"), delicate, blunt, non-sterile, reusable -

Equipment :KOCHER Hemostatic Forceps, straight, 140 mm (5 1/2"), toothed (1x2), non-sterile, reusable

1. KOCHER Hemostatic Forceps, straight, 140 mm (5 1/2"), toothed (1x2), non-sterile, reusable -

Equipment :MIXTER (BABY) Dissecting Forceps, strongly curved, 180 mm (7"), non-sterile, reusable

1. MIXTER (BABY) Dissecting Forceps, strongly curved, 180 mm (7"), non-sterile, reusable -1no

Equipment :HALSTED Haemostatic Forceps, curved, 185 mm (7 1/4"), delicate, blunt, non-sterile, reusable

1. HALSTED Haemostatic Forceps, curved, 185 mm (7 1/4"), delicate, blunt, non-sterile, reusable -1no

Equipment :CRILE-WOOD DUROGRIP TC Needle holder, straight, 145 mm (5 3/4"), with 0.4 mm pitch of serration, suture 4/0 - 6/0, non-sterile, reusable

1. CRILE-WOOD DUROGRIP TC Needle holder, straight, 145 mm (5 3/4"), with 0.4 mm pitch of serration, suture 4/0 - 6/0, non-sterile, reusable -1no

Equipment :DE BAKEY DUROGRIP TC Needle holder, straight, 180 mm (7"), with 0.4 mm pitch of serration, suture 4/0 - 6/0, non-sterile, reusable

1. DE BAKEY DUROGRIP TC Needle holder, straight, 180 mm (7"), with 0.4 mm pitch of serration, suture 4/0 - 6/0, non-sterile, reusable -1no

Equipment :HEGAR-MAYO DUROGRIP TC Needle holder, straight, 185 mm (7 1/4"), with 0.5 mm pitch of serration, suture up to 3/0, non-sterile, reusable

1. HEGAR-MAYO DUROGRIP TC Needle holder, straight, 185 mm (7 1/4"), with 0.5 mm pitch of serration, suture up to 3/0, non-sterile, reusable -1no

Equipment :PATTERN US-ARMY Wound Retractor, 220 mm (8 3/4"), double ended, 22 x 15 mm, 26 x 15 mm, 39 x 15 mm, 43 x 15 mm, non-sterile, reusable,

1. PATTERN US-ARMY Wound Retractor, 220 mm (8 3/4"), double ended, 22 x 15 mm, 26 x 15 mm, 39 x 15 mm, 43 x 15 mm, non-sterile, reusable, -

Equipment :VOLKMANN Wound Retractor (With Prong), 220 mm (8 3/4"), 4 prongs, semi-sharp, depth: 8,500 mm, width: 19 mm, non-sterile, reusable

1. VOLKMANN Wound Retractor (With Prong), 220 mm (8 3/4"), 4 prongs, semi-sharp, depth: 8,500 mm, width: 19 mm, non-sterile, reusable -

Equipment :ADSON Laminectomy Retractor, with joint, 320 mm (12 1/2"), 4 x 5 prongs, semi-sharp, with ratchet, non-sterile, reusable

1. ADSON Laminectomy Retractor, with joint, 320 mm (12 1/2"), 4 x 5 prongs, semi-sharp, with ratchet, non-sterile, reusable -1no

Equipment :CUSHING Vein Retractor, 205 mm (8"), depth: 10 mm, width: 13 mm, non-sterile, reusable

1. CUSHING Vein Retractor, 205 mm (8"), depth: 10 mm, width: 13 mm, non-sterile, reusable -1no

Equipment :CASPAR Nerve- And Vessel Hook, 90 °, angled, 245 mm (9 5/8"), bulb-headed tip, tip length: 7 mm, round handle, medium, non-sterile, reusable

1. CASPAR Nerve- And Vessel Hook, 90 °, angled, 245 mm (9 5/8"), bulb-headed tip, tip length: 7 mm, round handle, medium, non-sterile, reusable -1no

Equipment :DAVIS Dissector, slightly curved, 245 mm (9 5/8"), double ended, blunt, round handle, width: 4,500 mm, non-

sterile, reusable

1. DAVIS Dissector, slightly curved, 245 mm (9 5/8"), double ended, blunt, round handle, width: 4,500 mm, non-sterile, reusable -1no

Equipment :CASPAR Nerve Root Retractor, 240 mm (9 1/2"), working length: 90 mm (3 1/2), bayonet-shaped, blunt, width: 8 mm, non-sterile, reusable

1. CASPAR Nerve Root Retractor, 240 mm (9 1/2"), working length: 90 mm (3 1/2), bayonet-shaped, blunt, width: 8 mm, non-sterile, reusable - 1no

Equipment :FERGUSSON Suction Cannula, 215 mm (8 1/2"), working length: 130 mm (5 1/8"), diam. 4 mm, 12FR, luer hub, non-sterile, reusable, for suction hose 6 - 9 mm

1. FERGUSSON Suction Cannula, 215 mm (8 1/2"), working length: 130 mm (5 1/8"), diam. 4 mm, 12FR, luer hub, non-sterile, reusable, for suction hose 6 - 9 mm -1no

Equipment :BONE RONGEUR STRONG CVD 240MM

1. BONE RONGEUR STRONG CVD 240MM -1no

Equipment :Bone Curette, straight, 250 mm (9 3/4"), Fig. 1, width: 6,800 mm, non-sterile, reusable

1. Bone Curette, straight, 250 mm (9 3/4"), Fig. 1, width: 6,800 mm, non-sterile, reusable -1no

Equipment :STILLE Bone rongeur, angled to side, double action, 235 mm, 9 1/4"

1. STILLE Bone rongeur, angled to side, double action, 235 mm, 9 1/4" -1no

Equipment :MOLLISON Self retaining retractor, angled, sharp, 4 x 4 prongs, 155 mm, 6"

MOLLISON Self retaining retractor, angled, sharp, 4 x 4 prongs, 155 mm, 6" - 1no

Equipment :ANDERSON-ADSON Self retaining retractor, sharp, 4 x 4 prongs, 190 mm, 7 1/2"

1. ANDERSON-ADSON Self retaining retractor, sharp, 4 x 4 prongs, 190 mm, 7 1/2" -1no

Equipment :OLIVECRONA Bone rongeur, curved, 205 mm, 8"

1. OLIVECRONA Bone rongeur, curved, 205 mm, 8" -1no

Equipment :TOENNIS-ADSON Dissecting scissors, curved, blunt/blunt, delicate, 175 mm, 7"

1. TOENNIS-ADSON Dissecting scissors, curved, blunt/blunt, delicate, 175 mm, 7" -1no

Equipment :SCHMIEDEN-TAYLOR Dura scissors, angled to side, 1 blade probe pointed, 155 mm, 6"

1. SCHMIEDEN-TAYLOR Dura scissors, angled to side, 1 blade probe pointed, 155 mm, 6" -1no

Equipment :CURETTE 5.2MM 180MM

1. CURETTE 5.2MM 180MM-1no.

Equipment :COBB Raspatory, slightly curved, 280 mm (11"), sharp, width: 13 mm, non-sterile, reusable

1. COBB Raspatory, slightly curved, 280 mm (11"), sharp, width: 13 mm, non-sterile, reusable -1no

Equipment :COBB Raspatory, slightly curved, 280 mm (11"), sharp, width: 19 mm, non-sterile, reusable

1. COBB Raspatory, slightly curved, 280 mm (11"), sharp, width: 19 mm, non-sterile, reusable -1no

Equipment :LAMBOTTE OSTEOTOME STR 6MM 240MM

1. LAMBOTTE OSTEOTOME STR 6MM 240MM -1no.

Equipment :MALLET 380GR.HEAD

1. MALLET 380GR.HEAD -1no

Equipment :RONGEUR STANDARD STR 3.0/180MM

1. RONGEUR STANDARD STR 3.0/180MM -1no.

Equipment :Kidney Tray, 250 mm (10"), stainless steel

1. Kidney Tray, 250 mm (10"), stainless steel -1no.

Equipment :Round Bowl, 83 mm, height: 41 mm, width: 54 mm, 160 ml

1. Round Bowl, 83 mm, height: 41 mm, width: 54 mm, 160 ml -1no.

II. SPECIFICATIONS OF INSTRUMENTS.

1. All the instruments should made of high grade stainless steel. The quality of steel should comply with the DIN standards.
2. Instruments should be having Higher chromium and Molybdenum content results in superior corrosion resistance.
3. It should be non-magnetic.
4. All instruments should be autoclavable.
5. The Tungsten Carbide inlay should be nickel based.
6. The TC inlay should be welded to the instrument and not pasted
7. All instrument should have data matrix bar coding.
8. The manufacturer should have a direct repair facility and representation available in India
9. All instruments should be autoclavable at 134deg.
10. Instruments should meet the International Certification as per DIN EN ISO 13845:2001.
11. It should have TUV certificate of manufacturer with details of manufacturing facility.
12. All instruments should adhere to following steel Composition:

- a. Dissecting forceps: X20CR15CR3

- b. Grasping Forceps:X20CR13
- c. Haemostatic forceps:X20CR13
- d. Towel Clamps and Dressing Forceps:X20CR14
- e. Scissors:X45CRM0V5
- f. Needle Holders:X20CR13
- g. Ligature Forceps:X20CR13
- h. Retractors:X20CR13
- i. Micro Instruments: X20CR13,X15CR13 and X46CR13

Note: Warranty exclusions if any shall be discussed at the time of prebid meeting else the tender condition as per clause 6.31.20 shall prevail