



Running Contract Details	
Equipment Name	RIGID ESOPHAGOSCOPE AND BRONCHOSCOPE
Running Contract Valid Till	04-01-2026
Tender Ref No	KMSCL/EP/T514/1677/2023
Tendered Quantity	Item wise mentioned in below
Supplier Name	M/s Lakshmi Surgicals
GST No	32AACFL2603A1ZB
Installation & Delivery Period	8 Week(s)
Up-time / PM vist	95% & 4 Visits per year
Warranty period	3 Years

Supplier`s Details		
Address	Contact Details	
2nd Floor 12/307-C1 KSIE Building CIC Freight Station ICTT Road Anavathil Jn. Udyogamandal Eloor Ernakulam - 683501	Contact Person	Mr. Viji Vijayan
	Phone	0484-2988006
	Mobile No	99466 02090
	Email	lakshmisurgicals2005@gmail.com

Item-wise Price Details					
#	Item Details	Tendered Qty	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	<b>Pediatric rigid bronchoscope set</b> <i>Model &amp; Make : 10339C, 10339A, 10338S, 10324AA, 10378CF, 10378HF, 10378KF, 10378M, 10383B, 10390BN, 26006M/ Karl Storz GmbH &amp; Co Germany</i>	10	869847.71 Incl.GST :12%	64151.27	933998.98
2	<b>Adult rigid bronchoscopy set</b> <i>Model &amp; Make : 10318FL, 10318ER, 10101FA, 10350KF, 10350L, 10350M, 10468B, 10468D, 10383A, 10390AN, 26006M, 10350HF/ Karl Storz GmbH &amp; Co Germany</i>	10	557155.07 Incl.GST :12%	41090.19	598245.26
3	<b>Esophagoscopy set</b> <i>Model &amp; Make : 12060C, 12061A, 10380D, 10370HL, 10370LL, 10338TRA, 12070, 10370KL/ Karl Storz GmbH &amp; Co Germany</i>	10	430382.75 Incl.GST :12%	31740.73	462123.48
4	<b>Adaptor, with sliding glass window plug, sealing cap, notched lens and keyhole opening, movable (Not taken for evaluation)</b> <i>Model &amp; Make : 10338P/ Karl Storz GmbH &amp; Co Germany</i>	10	35997.92 Incl.GST :12%	2654.85	38652.77

Item-wise Price Details					
5	<b>Rubber Telescope Guide, for use with telescopes or optical forceps (Not taken for evaluation)</b> <i>Model &amp; Make : 10338N/ Karl Storz GmbH &amp; Co Germany</i>	10	2800.14 Incl.GST :18%	196.01	2996.15
6	<b>Injection Cannula, for positive pressure assisted ventilation system, LUER-Lock, outer diameter 3.5 mm, for use with the bronchoscope (Not taken for evaluation)</b> <i>Model &amp; Make : 10318K/ Karl Storz GmbH &amp; Co Germany</i>	10	7405.44 Incl.GST :12%	546.15	7951.59
7	<b>Prismatic Light Deflector, autoclavable, with connection to fibre optic light cable (Not taken for evaluation)</b> <i>Model &amp; Make : 10101FA/ Karl Storz GmbH &amp; Co Germany</i>	10	33585.44 Incl.GST :12%	2476.93	36062.37
8	<b>TELESCOPE BRIDGE (Not taken for evaluation)</b> <i>Model &amp; Make : 10338RK/ Karl Storz GmbH &amp; Co Germany</i>	10	23251.2 Incl.GST :12%	1714.78	24965.98
9	<b>Straight Forward Telescope 0° diameter 5.5 mm length 50 cm, autoclavable, fiber optic light transmission incorporated (Not taken for evaluation)</b> <i>Model &amp; Make : 10320AA/ Karl Storz GmbH &amp; Co Germany</i>	10	337604.96 Incl.GST :12%	24898.37	362503.33
10	<b>Adaptor, with observation window, sealing cap with rubber seal and a window with opening, adjustable, for use with universal bronchoscopes / tracheoscopes with proximal illumination (Not taken for evaluation)</b> <i>Model &amp; Make : 10314P/ Karl Storz GmbH &amp; Co Germany</i>	10	35997.92 Incl.GST :12%	2654.85	38652.77
11	<b>Sealing Cap, with rubber seal, for use with Bronchoscopes and Tracheoscopes (Not taken for evaluation)</b> <i>Model &amp; Make : 10314BN/ Karl Storz GmbH &amp; Co Germany</i>	10	2765.28 Incl.GST :12%	203.94	2969.22
12	<b>Instrument Guide, for suction catheter (Not taken for evaluation)</b> <i>Model &amp; Make : 10318S/ Karl Storz GmbH &amp; Co Germany</i>	10	4132.8 Incl.GST :12%	304.79	4437.59
13	<b>Full Lumen Operating Bronchoscope, size 8.5, LENGTH 43 C.M (Not taken for evaluation)</b> <i>Model &amp; Make : 10318BP/ Karl Storz GmbH &amp; Co Germany</i>	10	63778.4 Incl.GST :12%	4703.66	68482.06
14	<b>Full Lumen Operating Tracheoscope, Size 12mm,length 33 cm. (Not taken for evaluation)</b> <i>Model &amp; Make : 10318F/ Karl Storz GmbH &amp; Co Germany</i>	10	64828.96 Incl.GST :12%	4781.14	69610.1

Item-wise Price Details							
15	<b>Full Lumen Operating Bronchoscope, size 7.5 , LENGTH 43 CM (Not taken for evaluation)</b> <i>Model &amp; Make : 10318CP/ Karl Storz GmbH &amp; Co Germany</i>			10	63778.4 Incl.GST :12%	4703.66	68482.06
					<b>2533312.39</b>	<b>186821.29</b>	<b>2720133.68</b>
Annual / Comprehensive Maintenance Charges (Exl.Tax)							
Rate	4 <sup>th</sup> Year	5 <sup>th</sup> Year	6 <sup>th</sup> Year	7 <sup>th</sup> Year	8 <sup>th</sup> Year	9 <sup>th</sup> Year	10 <sup>th</sup> Year
<b>Pediatric rigid bronchoscope set</b>							
Labour	66,335.00	72,969.00	80,266.00	88,293.00	97,122.00	1,06,834.00	1,17,517.00
Comprehensive	1,49,254.00	1,64,179.00	1,80,597.00	1,98,657.00	2,18,523.00	2,40,375.00	2,64,413.00

### Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender document).
2. The supplier shall submit performance security amounting to 5.00% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

### Technical Specification

#### Equipment :Pediatric rigid bronchoscope set

#### Equipment: Rigid Esophagoscope and Bronchoscope

##### I. Pediatric Bronchoscope Set

- I. Pediatric rigid bronchoscope, size 4, length 30 cm
- II. Pediatric rigid bronchoscope, size 6, length 30 cm
- III. Guide Piece, for suction catheter, short, bronchoscope for children and infants
- IV. Straight Forward Telescope 0°, diameter 2.9 mm, length 36 cm, autoclavable, fiber optic light transmission incorporated
- V. Optical Forceps, with 2x2 teeth for grasping coins and flat foreign bodies, with spring-action handle
- VI. Optical Forceps, alligator, for grasping hard foreign bodies, with spring-action handle
- VII. Optical Forceps, with KILLIAN bean jaws, for grasping peanuts and soft foreign bodies, with spring-action handle
- VIII. Optical forceps, spoonshaped, oval, for biopsy including cleaning adaptor
- IX. Suction Tube, with cut-off hole, diameter 3 mm, working length 35 cm
- X. Coagulating Suction Tube, insulated, with connector pin for unipolar coagulation, diameter 3 mm, working length 35 cm
- XI. Unipolar high Frequency Code
- XII. Adaptor, with sliding glass window plug, sealing cap, notched lens and keyhole opening, movable (Not taken for evaluation) - **Order shall be issued separately if needed**
- XIII. Rubber Telescope Guide, for use with telescopes or optical forceps (Not taken for evaluation) - **Order shall be issued separately if needed**

- XIV. Injection Cannula, for positive pressure assisted ventilation system, LUER-Lock, outer diameter 3.5 mm, for use with the bronchoscope (Not taken for evaluation) - **Order shall be issued separately if needed**
- XV. Prismatic Light Deflector, autoclavable, with connection to fibre optic light cable (Not taken for evaluation) - **Order shall be issued separately if needed**
- XVI. TELESCOPE BRIDGE (Not taken for evaluation) - **Order shall be issued separately if needed**

**Equipment :Adult rigid bronchoscopy set**

**I. Adult Rigid Bronchoscopy Set**

1. Full Lumen Operating Bronchoscope, size 12 mm, length 43 cm, with 32 Fr. working channel for application of bronchial bougies, for use with prismatic light deflector for proximal illumination and adaptors, O.D. 12 mm
2. Full Lumen Operating Bronchoscope, modified for application of Poliflex Stents, inner diameter 10.5 mm, distal and with lateral holes and 45° oblique beak, for use with prismatic light deflector, size 11 mm, length 43 cm
3. Prismatic Light Deflector, autoclavable, with connection to fiber optic light cable
4. Optical Forceps, for controlled grasping of peanuts and soft foreign bodies, with force-limited handle, incl. cleaning adapter, for use with telescopes
5. Optical Forceps, spoon-shaped, round, for biopsy, incl. cleaning adapter, for use with telescopes
6. Optical Forceps, large jaws, sharp, for removing large fragments of tissue, incl. cleaning adapter, for use with telescopes
7. Suction Catheter, 2,5 mm, 7.5 Fr., with Adaptor
8. Suction Catheter, 1,5 mm, 4.5 Fr., with Adaptor
9. Suction Tube, with cut-off hole, straight, outer diameter 4 mm, working length 50 cm
10. Coagulation suction tube, insulated, with connector pin for unipolar Coagulation, diameter 4mm, working length 50cm.
11. Unipolar High frequency code
12. Optical Forceps, alligator
13. Straight Forward Telescope 0° diameter 5.5 mm length 50 cm, autoclavable, fiber optic light transmission incorporated (Not taken for evaluation) - **Order shall be issued separately if needed**
14. Adaptor, with observation window, sealing cap with rubber seal and a window with opening, adjustable, for use with universal bronchoscopes/tracheoscopes with proximal illumination (Not taken for evaluation) - **Order shall be issued separately if needed**
15. Sealing Cap, with rubber seal, for use with Bronchoscopes and Tracheoscopes.(Not taken for evaluation) - **Order shall be issued separately if needed**
16. Instrument Guide, for suction catheter(Not taken for evaluation) - **Order shall be issued separately if needed**
17. Injection Cannula, for positive pressure assisted ventilation system, LUER-Lock, outer diameter 3.5 mm, for use with the bronchoscope (Not taken for evaluation) - **Order shall be issued separately if needed**
18. Full Lumen Operating Bronchoscope, size 8.5, LENGTH 43 C.M (Not taken for evaluation) - **Order shall be issued separately if needed**
19. Full Lumen Operating Tracheoscope,Size 12mm,length 33 cm. (Not taken for evaluation) - **Order shall be issued separately if needed**
20. Full Lumen Operating Bronchoscope, size 7.5 , LENGTH 43 CM (Not taken for evaluation) - **Order shall be issued separately if needed**

**Equipment :Esophagoscopy set**

**III. Esophagoscopy Set**

1. Esophagoscope, oval, size 10 x 14, length 50 cm
2. Fiber Optic Light Carrier, for use with esophagoscopes, length 50 cm
3. Insertable Suction Tube, for use with esophagoscopes, outer diameter 2 mm, length 50 cm
4. alligator, for hard foreign bodies, double action jaws, sheath diameter 2.5 mm, working length 55 cm
5. Forceps, spoon-shaped, round, for biopsy, double action jaws, sheath diameter 2.5 mm, working length 55 cm
6. Adjustable Magnifier, autoclavable, swing-away type, with plug connection
7. Handle, for esophagoscopes
8. Forceps, for peanuts, 2.5 mm, 55 cm

**Equipment :Adaptor, with sliding glass window plug, sealing cap, notched lens and keyhole opening, movable (Not taken for evaluation)**

1. Adaptor, with sliding glass window plug, sealing cap, notched lens and keyhole opening, movable (Not taken for evaluation)

**Equipment :Rubber Telescope Guide, for use with telescopes or optical forceps (Not taken for evaluation)**

1. Rubber Telescope Guide, for use with telescopes or optical forceps (Not taken for evaluation)

**Equipment :Injection Cannula, for positive pressure assisted ventilation system, LUER-Lock, outer diameter 3.5 mm, for use with the bronchoscope (Not taken for evaluation)**

1. Injection Cannula, for positive pressure assisted ventilation system, LUER-Lock, outer diameter 3.5 mm, for use with the bronchoscope (Not taken for evaluation)

**Equipment :Prismatic Light Deflector, autoclavable, with connection to fibre optic light cable (Not taken for evaluation)**

1. Prismatic Light Deflector, autoclavable, with connection to fibre optic light cable (Not taken for evaluation)

**Equipment :TELESCOPE BRIDGE (Not taken for evaluation)**

1. TELESCOPE BRIDGE (Not taken for evaluation)

**Equipment :Straight Forward Telescope 0° diameter 5.5 mm length 50 cm, autoclavable, fiber optic light transmission incorporated (Not taken for evaluation)**

1. Straight Forward Telescope 0° diameter 5.5 mm length 50 cm, autoclavable, fiber optic light transmission incorporated (Not taken for evaluation)

**Equipment :Adaptor, with observation window, sealing cap with rubber seal and a window with opening, adjustable, for use with universal bronchoscopes / tracheoscopes with proximal illumination (Not taken for evaluation)**

1. Adaptor, with observation window, sealing cap with rubber seal and a window with opening, adjustable, for use with universal bronchoscopes/tracheoscopes with proximal illumination (Not taken for evaluation)

**Equipment :Sealing Cap, with rubber seal, for use with Bronchoscopes and Tracheoscopes (Not taken for evaluation)**

1. Sealing Cap, with rubber seal, for use with Bronchoscopes and Tracheoscopes.(Not taken for evaluation)

**Equipment :Instrument Guide, for suction catheter (Not taken for evaluation)**

1. Instrument Guide, for suction catheter(Not taken for evaluation)

**Equipment :Injection Cannula, for positive pressure assisted ventilation system, LUER-Lock, outer diameter 3.5 mm, for use with the bronchoscope (Not taken for evaluation)**

1. Injection Cannula, for positive pressure assisted ventilation system, LUER-Lock, outer diameter 3.5 mm, for use with the bronchoscope (Not taken for evaluation)

**Equipment :Full Lumen Operating Bronchoscope, size 8.5, LENGTH 43 C.M (Not taken for evaluation)**

1. Full Lumen Operating Bronchoscope, size 8.5, LENGTH 43 C.M (Not taken for evaluation)

**Equipment :Full Lumen Operating Tracheoscope, Size 12mm,length 33 cm. (Not taken for evaluation)**

1. Full Lumen Operating Tracheoscope,Size 12mm,length 33 cm. (Not taken for evaluation)

**Equipment :Full Lumen Operating Bronchoscope, size 7.5 , LENGTH 43 CM (Not taken for evaluation)**

1. Full Lumen Operating Bronchoscope, size 7.5 , LENGTH 43 CM (Not taken for evaluation)

IV. All the items should be from same manufacturer

V. All the items should be European CE /USFDA