



Running Contract Details	
Equipment Name	Fluid warmer
Running Contract Valid Till	03-03-2022
Tender Ref No	KMSCL/EP/T346/158/2019R
Tendered Quantity	50
Supplier Name	M/s REMI SALES & ENGINEERING LIMITED
GST No	27AAACR0421M1ZJ
Installation & Delivery Period	8 Week(s)
Up-time / PM vist	95% & 2 Visits per year
Warranty period	3 Years

Supplier`s Details		
Address	Contact Details	
Remi House 11 Cama Industrial Estate Goregaon East Mumbai - 400 063	Contact Person	V Ramakrishnan Iyer
	Phone	022-40589888
	Mobile No	9820627422
	Email	bids@remilabworld.com

Item-wise Price Details				
#	Item Details	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	Fluid warmer <i>Model & Make : Barkey S-Line , Barkey GmbH & Co KG</i>	125440 Incl.GST :12%	9251.2	134691.2
		125440	9251.2	134691.2

Annual / Comprehensive Maintenance Charges (Exl.Tax)							
Rate	4 th Year	5 th Year	6 th Year	7 th Year	8 th Year	9 th Year	10 th Year
Fluid warmer							
Labour	4,500.00	4,500.00	5,000.00	5,000.00	5,500.00	5,500.00	6,000.00
Comprehensive	12,500.00	12,500.00	12,500.00	12,500.00	12,500.00	12,500.00	12,500.00

Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender

document).

2. The supplier shall submit performance security amounting to 5% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

Technical Specification

Equipment :Fluid warmer

1. Flow Rates should be maximum 1500 ml/ hour
2. Should have temperature prefixed at 37 Degree Temperature
3. Should be easily transportable
4. Should able to attach to I V pole and standard electrical sockets
5. Should use dry heat technology/ multichannel counter current heat exchanger/ equivalent technology
6. Should have audible and visual alarms for Temperature
7. Should have automatic cutoff for set temperature
8. Should be easy to use and to clean
9. Calibration certificate should be issued during the installation
10. 5 disposable adult and 1 no. of pediatric warming sets should be supplied along with each machine
11. Warm up time should be less than 60 seconds
12. If available- Consumables with built in filter should be provide.
13. Should have safety certificate from a competent authority CE issued by a notified body registered in the European commission / FDA (US)/ STQC CB Certificate/ STQC S Certificate or valid detailed electrical and functional safety test report from ERTL. Copy of the certificate/ test report shall be produced along with the technical bid.