



Running Contract Details	
Equipment Name	MEDICINE RACK
Running Contract Valid Till	31-03-2025
Tender Ref No	KMSCL/EP/T489/1189A/2022
Tendered Quantity	1000
Supplier Name	M/s ELSA AGENCIES AND DISTRIBUTORS
GST No	32AAWPJ5520A1Z2
Installation & Delivery Period	6 Week(s)
Up-time / PM vist	95% & 0 Visits per year
Warranty period	1 Years

Supplier`s Details		
Address	Contact Details	
OS 44 4 th FLOOR GCDA SHOPPING COMPLEX MARINE DRIVE -682031	Contact Person	ANTONY
	Phone	
	Mobile No	7736712344
	Email	elsaagencies13@gmail.com

Item-wise Price Details				
#	Item Details	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	Steel Cabinet Bigger size <i>Model & Make : ATD 530 / Allchemist</i>	28202 Incl.GST :18%	1974.14	30176.14
2	Steel Cabinet Medium size <i>Model & Make : Allchemist</i>	28202 Incl.GST :18%	1974.14	30176.14
3	Storage Cabinet Type I <i>Model & Make : ASC 740 / Allchemist</i>	15906.4 Incl.GST :18%	1113.45	17019.85
4	Storage Cabinet Type II <i>Model & Make : ATD 945 / Allchemist</i>	17464 Incl.GST :18%	1222.48	18686.48
5	Storage Cabinet Type III <i>Model & Make : ASC 940 / Allchemist</i>	39884 Incl.GST :18%	2791.88	42675.88
6	Additional partition for storage cabinet type I <i>Model & Make : Allchemist</i>	1121 Incl.GST :18%	78.47	1199.47
7	Additional partition for storage cabinet type II <i>Model & Make : Allchemist</i>	1121 Incl.GST :18%	78.47	1199.47
		131900.4	9233.03	141133.43

Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender document).
2. The supplier shall submit performance security amounting to 5.00% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

Technical Specification

Equipment :Steel Cabinet Bigger size

1. Steel Cabinet – Bigger size
 - a. Storage Cabinet Size:900*400D*880 mm (Tolerance ± 20 mm)
 - b. Drawer Size: 164*375*105 mm (Tolerance ± 10 mm)
 - c. Heavy-duty cabinet with 30 individual drawers.
 - d. Cabinet made up of galvanized process with Zinc to prevent damage from acid, oxidation, and abrasion.
 - e. Anti-scratch-resistant coating/powder coating.
 - f. Each drawer should be made up of ABS plastic
 - g. Each drawer can store up to 20 kg.
 - h. Each Drawer is designed with a clear front panel for better visibility and access.
 - i. Friction-free operation and Zero maintenance
 - j. Drawers should have one transparent divider and various divider slots should be provided in the drawer.
 - k. Fully open able drawers with anti drop facility.

Equipment :Steel Cabinet Medium size

2. Steel Cabinet – Medium Size
 - a. Cabinet Size:600W*290D*650 mm (Tolerance ± 20 mm)
 - b. Drawer Size:163W*289D*69H mm(Tolerance ± 10 mm)
 - c. Steel cabinet with 30 individual drawers.
 - d. Cabinet made up of galvanized process with Zinc to prevent damage from acid, oxidation and abrasion.
 - e. Anti scratch resistant coating / powder coating.
 - f. A5 size drawers made up of ABS for durability.
 - g. Each drawer can store upto10 kg.
 - h. Each Drawer designed with a clear front panel for a better visibility and access.
 - i. Friction free operation and Zero maintenance
 - j. Drawers should have one transparent divider and various divider slot should be provided in the drawer.
 - k. Fully open able drawers with anti drop facility.

Equipment :Storage Cabinet Type I

3. Storage Cabinet Type I
 - a. Cabinet Size: 900*400*740 – mm(Tolerance ± 20 mm).
 - b. Cabinet made up of galvanized process with Zinc to prevent damage from acid, oxidation, and abrasion.

- c. Sliding doors should be made up of toughened glass which can be lockable and have the provision for adding partitions.
- d. Noise-free operation.
- e. Clean bottom at the cabinet to prevent the entry of dust, mice, rats, etc.
- f. Self-thread screw fastening of all parts for rigid and rugged design.
- g. Clear back for smooth alignment.
- h. One adjustable berth as standard.

Equipment :Storage Cabinet Type II

4. Storage Cabinet Type II

- a. Cabinet Size: 900*400*880 – mm. (Tolerance ± 20 mm).
- b. Cabinet made up of galvanized process with Zinc to prevent damage from acid,oxidation, and abrasion.
- c. Sliding doors should be made up of toughened glass which can be lockable and have the provision for adding partitions.
- d. Noise-free operation.
- e. Clean the bottom at the cabinet to prevent the entry of dust, mice, rats, etc.
- f. Self-thread screw fastening of all parts for rigid and rugged design.
- g. Clear back for smooth alignment.
- h. Two adjustable berths as standard.

Equipment :Storage Cabinet Type III

5. Storage Cabinet Type III

- a. Cabinet Size: 1200*900*400 mm. (Tolerance ± 20 mm).
- b. Drawer Size: 400*150*100 mm (Tolerance ± 20 mm)
- c. Heavy-duty cabinet with individual drawers.
- d. Cabinet made up of 0.8mm CR Sheet with Zinc to prevent damage from acid, oxidation, and abrasion or similar make.
- e. Noise-free operation.
- f. Anti - scratch resistant coating / powder coating.
- g. Each drawer should be made up of ABS plastic with a capacity of store upto 20 Kg.

Equipment :Additional partition for storage cabinet type I

6. Additional partition for storage cabinet type I

- a. Additional partitions for storage cabinet shall be offered for both types

Equipment :Additional partition for storage cabinet type II

6. Additional partition for storage cabinet type I

- a. Additional partitions for storage cabinet shall be offered for both types

Note: If CDSCO (Central Drugs Standard Control Organization) certification is required for the import and marketing of the equipment, then the same shall be submitted along with the technical bid