



Running Contract Details	
Equipment Name	CGM Machine
Running Contract Valid Till	24-03-2021
Tender Ref No	KMSCL/EP/T307/1307/2019(R)
Tendered Quantity	23
Supplier Name	M/s South End Trade Links
GST No	32BCNPS8903A1ZO
Model & Make	Freestyle Libre Pro / Abbott Healthcare Pvt Ltd USA
Unit rate (Rs)	Rates given below
CGST 0.00%	0.00
SGST 0.00%	0.00
IGST 0.00%	0.00
Total Cost(Exl.KMSCL S.C) Rs.	0.00
Flood Cess (1%) Rs.	0.00
Service Charges 7% + GST 18%	0.00 (Applicable for purchase through KMSCL only)
Total Cost(Incl. KMSCL S.C) Rs.	0.00
Installation & Delivery Period	8 Week(s)
Up-time / PM vist	95% & 4 Visits per year
Warranty period	3 Years

Supplier`s Details		
Address	Contact Details	
T.C 13/1678(4) Opp.G.G Hospital Murinjapalam Kumarapuram road Medical College P.O Trivandrum Kerala 695 011	Contact Person	Lenin.R
	Phone	0471 4018222
	Mobile No	9995822270
	Email	admin@southendtradelinks.com

Item-wise Price Details				
#	Item Details	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	Reader	5043.63	368.68	5412.31
2	Sensor	1737.94	127.04	1864.98
		6781.57	495.71	7277.29

Annual / Comprehensive Maintenance Charges (Exl.Tax)							
Rate	4 th Year	5 th Year	6 th Year	7 th Year	8 th Year	9 th Year	10 th Year

Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender document).
2. The supplier shall submit performance security amounting to 5% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

Technical Specification

Equipment :CGM Machine

1. The adhesive used with the freestyle libre Pro sensor is a biocompatible acrylic adhesive. We use medical-grade adhesive that has passed international standards for the biological evaluation of medical devices. Also complies with IP27: can withstand immersion into 3 ft(one meter) of water for up to 30 minutes
2. Operating Conditions

Sensor:

 - a. Temperature:10°C to 45°C(50°F to 113°F)
 - b. Attitude:- 1250ft(-381 meters) to 10000ft(3048meters)
 - c. Relative humidity:10-90% non-condensing in the sensor even for years.
 - d. Reader works with near field communication (13.56MHz RFID);ASK Modulation;124dBuV/m;1.5-inch communication range
3. Storage Conditions
 - a. Temperature: -250 to +550 (130 to 1310 F)
 - b. Relative humidity: 10% to 100% with no condensation
 - c. Dock temperature: -250 to + 550 (-130 to +1310 F)
 - d. Dock relative humidity: 10% to 100% with no condensation
4. Battery life: 7 days of continuous glucose monitoring (CGM) immediately follows a full charge, plus ten days of additional battery life immediately following a CGM study.
5. Dimensions and weight:*

Sensor: 5mm height and 35 mm Diameter, weight: 5grams

6. Dimensions and weight

Reader:95mm x 60mm x 16mm; Weight:65grams

7. components supplied

Reader box contains:

- a. Librepro Reader
- b. USB Cablepower adapter
- c. Operators manual
- d. Quick start guide

Sensor box contain:

- a. Sensor pack
- b. Sensor applicator
- c. Alcohol wipe
- d. Product insert

*minor deviations will be acceptable

8. Option for real time monitoring should be provided, If available