



KERALA MEDICAL SERVICES CORPORATION LTD.,
(Dept. of Health & Family Welfare, Govt. of Kerala)
Thycaud P.O., Thiruvananthapuram-14
Tele Fax No : 0471-2945647, 0471-2945600
Email id: edrugs.kmscl@kerala.gov.in
CIN : U24233KL2007SGC021616

Essential Drugs Division

www.kmscl.kerala.gov.in

No. KMSCL/ED/RT/04/2026 (2)

Date: 29.05.2026

NOTICE
DRUGS/SUPPLIES (CATEGORY III -VIII)

Sub :- KMSCL - Re-tender for the Procurement of Drugs/Supplies (Category III -VIII) for the year 2026-27 -Technical Bid Evaluation -Defects noticed/status – Published – reg.

Ref :- E-tender No. KMSCL/ED/III-VIII /RT/2026/011 Dated 29.04.2026

Technical bids submitted in response to the Re-tender referred above for the Procurement of Drugs/Supplies (Category III – VIII) for the year 2026-27 were opened on 20.05.2026 and scrutinized. The status is published below.

All the bidders are directed to verify the details of their offered items in the notice published.

Shortfall documents/Complaints/ suggestions/ representations, if any, on this notice shall be submitted to the Tender Inviting Authority in writing on or before **5pm on 02.06.2026**.

Sl. No	Drug Code	Drug Name	Strength	Unit	Defects noticed and Status
Bid No. 1		M/s. Safe Surgical Industries, Rajasthan			
1	S27007	ABSORBANT COTTON WOOL IP	500 gm Net	Packet	Submitted Required Documents.
Bid No. 2		M/s. Durga Surgical Corporation, Haryana			
1	S27231/12	ABSORBANT COTTON GAUZE SCH.F(II)	100 cm X 20 mtr	Packet	Schedule F(II) not mentioned in the MD License with Product Permit, Market Standing Certificate and Non-conviction Certificate submitted for S27231/12 - ABSORBANT COTTON GAUZE SCH.F(II) , 100 cm X 20 mtr,

Sl. No	Drug Code	Drug Name	Strength	Unit	Defects noticed and Status
					Packet.
Bid No. 3		M/s. Newtech Medical Devices Pvt Ltd, Haryana			
1	S27255	DISPOSABLE CVP CATHETER TRIPLE LUMEN (SELDINGER TECHNIQUE)	5F	1 No	Notary attested copy of previous year Market Standing Certificate/ Sales invoices (2024) not submitted.
Bid No. 4		M/s. Tulip Diagnostics Pvt Ltd, Goa			
1	D26026	DENGUE LATEX AGGLUTINATION TEST KIT (RAPID METHOD)	1TEST	1 No	<p>1. Annual Turnover Statement in Annexure III submitted is not attested by Notary public.</p> <p>2. Notary attested copy of current Valid Market Standing Certificate not submitted for the quoted items.</p> <p>3. Notary attested copy of valid QMS Certificate not submitted against the Manufacturing unit Zephyr Biomedicals (unit of Tulip Diagnostics Pvt Ltd) and Viola Diagnostics Systems (unit of Tulip Diagnostics Pvt Ltd).</p> <p>4. Notary attested copy of current Valid Non-conviction Certificate not submitted for the quoted items.</p> <p>5. Audited Balance Sheet and Profit & Loss Statement for the year 2024-25 submitted is not attested by Notary public.</p> <p>6. Details of Technical Persons employed in Manufacturing & Quality testing and Details of Bidder & Manufacturing unit in Annexure VII submitted is not attested by Notary public.</p>
2	D26024	FOURTH GENERATION ELISA KIT FOR DETECTION OF P24 ANTIGEN AND ANTIBODY TO HIV 1&2	1TEST	1 No	
3	D26023	HEPATITIS B SURFACE ANTIGEN SCREENING KIT-EIA VISUAL ASSAY TEST	1TEST	1 No	
4	D26019	HIV 1 & 2 ANTIBODY SCREENING EIA VISUAL ASSAY (RAPID METHOD)	1TEST	1 No	
5	D26018	HIV 1&2 ANTIBODY SCREENING-ELISA TEST KIT	1TEST	1 No	
Bid No. 5		M/s. Brisk Surgicals Cotton Limited, Gujarat			
1	S27007	ABSORBANT COTTON WOOL IP	500 gm Net	Packet	Details of Bidder & Manufacturing unit in Annexure VII submitted is not attested by Notary public.

Sl. No	Drug Code	Drug Name	Strength	Unit	Defects noticed and Status
Bid No. 6		M/s. RAMAN & WEIL PVT LTD, Mumbai			
1	D25007	GLUTERALDEHYDE SOLUTION (WITHOUT SURFACTANT)	2%	5 Litre Can	<p>1. Notary attested copy of current Valid Market Standing Certificate and Non-conviction Certificate against the MD License (No. MD/2019/000189) not submitted.</p> <p>2. License No is not mentioned in the Details of Bidder & Manufacturing unit in Annexure VII submitted.</p>
Bid No. 7		M/s. Meditech Devices Pvt Ltd, Ahmedabad			
1	S27255	DISPOSABLE CVP CATHETER TRIPLE LUMEN (SELDINGER TECHNIQUE)	5F	1 No	<p>1. Notary attested copy of Valid MD License with Product Permit not submitted for S27222 - EPIDURAL SET WITH LOR SYRINGE & FILTER, 18G.</p>
2	S27222	EPIDURAL SET WITH LOR SYRINGE & FILTER	18G	1 No	<p>2. Tendered Name wrongly mentioned in the Valid Market Standing Certificate & Previous Market Standing Certificate and Non-conviction Certificate submitted for S27222 - EPIDURAL SET WITH LOR SYRINGE & FILTER, 18G.</p> <p>3. Notary attested copy of Valid QMS Certificate is not submitted.</p>
Bid No. 8		M/s. Mediearth Lifecare Private Limited, Maharashtra			
1	S27231/12	ABSORBANT COTTON GAUZE SCH.F(II)	100 cm X 20 mtr	Packet	<p>1. Tendered strength not mentioned in the Product Permit submitted for S27231/12 - ABSORBANT COTTON GAUZE SCH.F(II), 100 cm X 20 mtr, Packet.</p> <p>2. Notary attested copy of Previous Market Standing Certificate/ Sales invoices to prove three-year Market Standing not submitted.</p>

Sl. No	Drug Code	Drug Name	Strength	Unit	Defects noticed and Status
Bid No. 9		M/s. SJD SURGICOT PVT LTD, Haryana			
1	S27007	ABSORBANT COTTON WOOL IP	500 gm Net	Packet	Notary attested copy of current Valid Market Standing Certificate & Previous year Market Standing Certificate (2023) not submitted.
Bid No. 10		M/s. Poddar Sales Pvt Ltd, Kolkata			
1	S27075	RUBBER SHEET MACKINTHOSH	1 mtr	1 No	Submitted Required Documents.
Bid No. 11		M/s. Adeshwar Meditex Ltd, Mumbai			
1	S27231/12	ABSORBANT COTTON GAUZE SCH.F(II)	100 cm X 20 mtr	Packet	<p>The Firm had quoted the item from License No. MFG/MD/2022/000196, MFG/MD/2022/000504 and KD-334 & KD-264.</p> <p>a) Notary attested copy of MD License with Product Permit against the License No. MFG/MD/2022/000504 and KD-334 & KD-264 not submitted.</p> <p>b) Tendered strength not mentioned in the MD License with Product Permit submitted for S27231/12 - ABSORBANT COTTON GAUZE SCH.F(II), 100 cm X 20 mtr, Packet against the License No. MFG/MD/2022/000196.</p> <p>c) Notary attested copy of current Valid Market Standing Certificate not submitted for the item against the License No. MFG/MD/2022/000196, MFG/MD/2022/000504 and KD-334 & KD-264.</p> <p>d) Notary attested copy of valid Non-conviction Certificate not submitted against the License No. MFG/MD/2022/000196 and MFG/MD/2022/000504.</p>

Sl. No	Drug Code	Drug Name	Strength	Unit	Defects noticed and Status
Bid No. 12		M/s. Jind Surgicals, Haryana			
1	S27007	ABSORBANT COTTON WOOL IP	500 gm Net	Packet	Submitted Required Documents.
Bid No. 13		M/s. GOLDWIN MEDICARE LIMITED, Mumbai			
1	S27231/12	ABSORBANT COTTON GAUZE SCH.F(II)	100 cm X 20 mtr	Packet	<ol style="list-style-type: none"> 1. Tendered strength not mentioned in the MD License with Product Permit submitted for S27231/12 - ABSORBANT COTTON GAUZE SCH.F(II), 100 cm X 20 mtr, Packet. 2. Notary attested copy of current Valid Market Standing Certificate not submitted. 3. Notary attested copy of Valid GMP/ QMS Certificate and Non-conviction Certificate not submitted.
Bid No. 14		M/s. The Swastik Pharmaceuticals, Andhra Pradesh			
1	D25005	CHLOROXYLENOL SOLUTION IP	5% w/v	1 Litre Bottle	<ol style="list-style-type: none"> 1. Notary attested copy of MD License with Product Permit and Market Standing Certificate not submitted for D25007 - GLUTERALDEHYDE SOLUTION (WITHOUT SURFACTANT), 2%, 5 Litre Can. 2. Notary attested copy of Valid GMP/ QMS Certificate and Non-conviction Certificate not submitted.
2	D25007	GLUTERALDEHYDE SOLUTION (WITHOUT SURFACTANT)	2%	5 Litre Can	
Bid No. 15		M/s. Medsource Ozone Biomedicals Pvt Ltd, Faridabad			
1	D26026	DENGUE LATEX AGGLUTINATION TEST KIT (RAPID METHOD)	1TEST	1 No	<ol style="list-style-type: none"> 1. Notary attested copy of Valid MD License with Product Permit not submitted for the following; D26026 - DENGUE LATEX AGGLUTINATION TEST KIT (RAPID METHOD), 1 TEST
2	D26024	FOURTH GENERATION ELISA KIT FOR DETECTION OF P24 ANTIGEN AND ANTIBODY TO HIV 1&2	1TEST	1 No	

Sl. No	Drug Code	Drug Name	Strength	Unit	Defects noticed and Status	
3	D26023	HEPATITIS B SURFACE ANTIGEN SCREENING KIT-EIA VISUAL ASSAY TEST	1TEST	1 No	<p>D26023 - HEPATITIS B SURFACE ANTIGEN SCREENING KIT-EIA VISUAL ASSAY TEST, 1 TEST</p> <p>D26019 - HIV 1 & 2 ANTIBODY SCREENING EIA VISUAL ASSAY (RAPID METHOD), 1 TEST</p> <p>2. Notary attested copy of Certificate of renewal/ Valid retention certificate of manufacturing license/ Retention fee challan/ Retention fee acknowledgement submitted is not legible.</p> <p>3. Notary attested copy of current Valid Market Standing Certificate & Previous year Market Standing Certificate not submitted for D26033 - SYPHILIS - ELISA TEST KIT, 1 TEST.</p>	
4	D26019	HIV 1 & 2 ANTIBODY SCREENING EIA VISUAL ASSAY (RAPID METHOD)	1TEST	1 No		
5	D26018	HIV 1&2 ANTIBODY SCREENING-ELISA TEST KIT	1TEST	1 No		
6	D26033	SYPHILIS - ELISA TEST KIT	1 TEST	1 No		
Bid No. 16		M/s. RAJKUMAR DYEING & PRINTING WORKS PVT LTD, Kolkata				
1	S27075	RUBBER SHEET MACKINTHOSH	1 mtr	1 No		Notary attested copy of Sales invoices to prove three-year Market Standing not submitted.
Bid No. 17		M/s. New Care Hygiene Solutions Pvt Ltd, Ernakulam				
1	S27231/12	ABSORBANT COTTON GAUZE SCH.F(II)	100 cm X 20 mtr	Packet	<p>Notary attested copy of the following Documents are not submitted for the quoted items;</p> <p>a) MD License with Product Permit.</p> <p>b) Current Valid Market Standing Certificate & Previous Market Standing Certificate to prove three-year Market Standing.</p> <p>c) Valid GMP/ QMS Certificate against MD License.</p> <p>d) Valid Non-conviction Certificate against MD License.</p> <p>e) Details of three batches not furnished in the Performance</p>	
2	S27007	ABSORBANT COTTON WOOL IP	500 gm Net	Packet		

Sl. No	Drug Code	Drug Name	Strength	Unit	Defects noticed and Status
					Statement in Annexure IV. f) Details of Technical Persons employed in Manufacturing and Quality testing.

Sd/-

MANAGING DIRECTOR