

Running Contract Details	
Equipment Name	Water Purifier
Running Contract Valid Till	14-03-2026
Tender Ref No	KMSCL/EP/T413/863/2021
Tendered Quantity	250
Supplier Name	M/s SIDCO SERVICE WORKSHOP
GST No	32AAACK9435C6ZR
Installation & Delivery Period	6 Week(s)
Up-time / PM vist	95% & 2 Visits per year
Warranty period	1 Years

Supplier`s Details		
Address	Contact Details	
The Manager SIDCO Wood Workshop Kallimel P.O. Mavelikkara Alappuzha District	Contact Person	NISHANTH N S
	Phone	
	Mobile No	9037189109
	Email	sidcomvk@gmail.com

Item-wise Price Details				
#	Item Details	Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total
1	Water Purifier <i>Model & Make : Aquaguard SURE</i>	13328.1 Incl.GST :18%	932.97	14261.07
		13328.1	932.97	14261.07

Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender document).
2. The supplier shall submit performance security amounting to 5.00% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).

5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

Technical Specification

Equipment :Water Purifier

Equipment Name: Water Purifier

1. Should be RO Water Output of 20 Litre Per Hour
2. Should be 230 V input power supply
3. Should be 9 litres tank capacity with automatic filling
4. Should be five stage filtration
 - a. One external filter 10' wall mounting
 - b. Inside the purifier inline sediment filter- One
 - c. Inline pre and post carbon filters-Two
1. Should be 2 thin film composite 1812-75 membrane
2. Should be 2 amps 24V DC booster pump
3. Should be 24V Solenoid valve
4. Should be 1 micro float switch
5. Should be 6mm Inlet valve
6. Should be drain output of 60%
7. Should provide MS stand
8. Installation should be done at free of cost.