

Running Contract Details	
Equipment Name	Tissue processor -(High- End)
Running Contract Valid Till	12-11-2026
Tender Ref No	KMSCL/EP/T544/794C/2024
Tendered Quantity	6
Supplier Name	M/s Bions Medical Systems Pvt Ltd
GST No	32AACCB4877B1Z1
Installation & Delivery Period	8 Week(s)
Up-time / PM vist	95% & 4 Visits per year
Warranty period	3 Years

Supplier`s Details		
Address	Contact Details	
Address:53/333 A1 Arden Ivy Court Opp.Reliance Fresh Off S.C. Bose Road Vyttila-Kochi-682019	Contact Person	JOMY THOMAS
	Phone	0484-2969622/33/44
	Mobile No	9567860500
	Email	customercare@bionsmedicalsyste.ms.com, jomy.thomas@bionsmedicalsyste.ms.com

Item-wise Price Details							
#	Item Details			Unit Rate (Incl.all taxes & charges)	Service Charges (Through KMSCL)	Grand Total	
1	Tissue processor -(High- End) <i>Model & Make : leica histocore pegasus / Leica Biosystems</i>			6858585.98 Incl.GST :18%	480101.02	7338687	
				6858585.98	480101.02	7338687	
Annual / Comprehensive Maintenance Charges (Exl.Tax)							
Rate	4 th Year	5 th Year	6 th Year	7 th Year	8 th Year	9 th Year	10 th Year
Tissue processor -(High- End)							
Labour	1,61,758.00	1,77,934.00	1,95,728.00	2,15,300.00	2,36,830.00	2,60,513.00	2,86,565.00
Comprehensive	3,23,517.00	3,39,693.00	3,56,677.00	3,74,511.00	3,93,237.00	4,12,898.00	4,33,543.00

Other terms & conditions

1. The supplier shall execute an agreement with the purchaser as per tender conditions (agreement format is given in the tender

document).

2. The supplier shall submit performance security amounting to 5.00% of the value of the supply order.
3. The labour & comprehensive charges of equipment after the completion of warranty period is finalized by KMSCL as mentioned above.
4. Since discount rate is not applicable for equipment under Running Contract of KMSCL, purchase/supply order can be issued directly to supplier at the given rate with tax & other charges (exclusive of KMSCL service charges).
5. If purchase/supply order is issued directly to the supplier, KMSCL service charge need not be paid. But the copy of the said order may be forwarded to KMSCL for information.

Technical Specification

Equipment :Tissue processor -(High- End)

Technical Specification

Equipment: Tissue Processor (High End)

1. Fully Automated Enclosed Tissue Processor with 400 Cassettes Capacity
2. Should have Dual retort facility
3. Should have the flexibility to run parallel protocols on a single instrument
4. Should have magnetic stirrer or bubbling technology.
5. Should have proper LED or visual indication system to reduce reagent mix-ups.
6. Instrument should have the track of user interactions
7. Instrument should have automated reporting facility
8. Instrument should have Backlighting facility to check the reagent level and it should be able to ensure the proper fixation of reagent bottles.
9. Minimum Capacity 2 x 200 cassettes, 400 cassettes can be processed simultaneously.
10. Paraffin temperature selectable from 58 °C to 85 °C
11. Temperature (processing reagents) - 35 °C to 65 °C
12. Minimum Capacity per paraffin bath 3.9L or more
13. Paraffin melting point setting: 50°C to 65 °C
14. Number of reagent containers 15 reagent bottles or more
15. Capacity of reagent containers minimum 3.88 L or more
16. Protocols: 20 freely configurable protocols. 5 pre-installed protocols. 2 pre-installed xylene protocols consisting of up to 10 reagents and 3 paraffin processing steps. 2 pre-installed xylene - free protocols consisting of up to 8 reagents and 3 paraffin processing steps
17. Time per protocol step: 0 - 5999 minutes
18. Should have 1 pre-installed cleaning protocol
19. Reagent management system: Processing protocol: Cassettes/Cycles/Days/ Concentration Cleaning protocol: Cycles/Days
20. Instrument should have Colour LCD touchscreen, with minimum 12 inches
21. Should have Three USB 2.0 ports
22. Instrument should have Alarm system with two alarm sockets, should have Smart error handling facility for specimen protection